


*Your choice in
Shrinkwrap Protection!*

RUFFWRAP



Enclosures

•
Shelters

*Total Environmental
Containment*

*Abatement • Asbestos
Containment*

Weatherproof

•
Storage



1.800.CONTAIN

It's like waving a magic wand !

- **Heavy-Duty**
- **Fire Retardant**
- **U V Treated**
- **Installs Easily**
- **Waterproof**



- **Seamless Enclosures**
- **Low Maintenance**
- **Withstands Severe Weather**
- **Attaches to Any Structure**
- **Impermeable Barrier**



**Temporary Shelters
Offshore Rigs
Shipyards
Buildings
Bridges
Tanks**



The Magical Process . . .

When applying propane fired heat to **RUFFWRAP's** specially formulated film, the shrink process becomes magical. Our flame retardant **RUFFWRAP** film will shrink between 25% - 30% creating a skin tight enclosure on any structure.

Contain airborne hazards, provide complete weather protection, or simply protect your most valuable assets, **RUFFWRAP** is your choice in shrinkable films.

Wrap with **EAGLE** . . . 800.266.8246

The Magical Specs !

Description	Test Method	9 mil	12 mil
Thickness:	ASTM D374	9 mil	12 mil
Tensile Properties:			
• Yield (md/cd) psi:		1400/1200	1400/1200
• Break (md/cd) psi:		2500/2400	2500/2400
• Elongation (md/cd) %:		600/700	600/700
Dart Impact: (grams)	ASTM D1709	750	900
Elmdorf Tear:			
• (md/cd) grams	ASTM D1922	1200/1500	1700/2800
Shrink Temperature:	ASTM D2732	300 °F	300 °F
Shrink Size:		26' x 62'	26' x 62'
Shipping Weight:		70 lbs.	93 lbs
Flame Retardant:		NFPA 701	NFPA 701



Tubing
Heat Guns
Zipper Doors
Heat Shrink Tape
Strapping & Buckles

Eagle Industries
P.O. Box 10652
New Orleans LA
70181

Ph: 504.733.3510
Fax: 504.733.3552

www.eagleind.com
info@eagleind.com

1.800.CONTAIN
266.8246

©COPYRIGHT, EAGLE INDUSTRIES

Since the performance of this or any other product is affected by the manner in which it is used or handled, no warrant, expressed or implemented, of the fitness of this product for an specific application is provided by Eagle Industries of Louisiana, Inc., or by its suppliers.



Catalog I#307