

EAGLE INDUSTRIES

JOBSITE PRODUCTS

CONTAINMENT TARPS



SANDBLAST SCREENS



DEBRIS NETTING



SCAFFOLDING ENCLOSURES



SHRINK WRAP CONTAINMENT

REINFORCED POLY

EQUIPMENT & SUPPLIES

INDUSTRIAL PRODUCTS





NEW ORLEANS, LA

5531 River Road
New Orleans, LA 70123

NEW YORK CITY, NY

290 Spagnoli Road
Melville, NY 11747

BOSTON, MA

15 Freedom Way
Franklin, MA 02038

LOS ANGELES, CA

20500 Fordyce Avenue
Carson, CA 90220

PORTLAND, OR

8830 Northeast Alderwood Road
Portland, OR 97220

SAN FRANCISCO, CA

31353 Huntwood Avenue
Hayward, CA 94544

**CORPORATE
HEADQUARTERS**

EAGLE INDUSTRIES
5531 River Road
New Orleans, LA 70123

Toll Free: 800-266-8246
Office: 504-733-3510
Fax: 504-733-3552

sales@eagleind.com

SAN DIEGO, CA

7411 Goen Place
San Diego, CA 92120

NORFOLK, VA

814 Greenbrier Circle Suite C
Chesapeake, VA 23320

CANADA DISTRIBUTOR

Enscaf Corp.

TORONTO, ON

210 Cochrane Drive Unit 8
Markham, ON L3R 8E6

Enscaf Corp.

EDMONTON, AB

11010 178 Street Northwest
Edmonton, AB T5S 1R7

Containment Tarps

Coated Airbag Tarps	6 - 7
Coated Ripstop Tarps	8 - 9
Coated Geotarps	10 - 11
Geoscreens	12 - 13
Vinyl Tarps	14 - 15
Durashield Tarps	16 - 17
Canvas Tarps	18 - 19

Poly Sheeting

String Reinforced Poly	22 - 23
Woven Reinforced Poly	24 - 25
Scaf-Lite™ Scaffold Sheeting	26 - 27
Shrink Wrap Containment	28 - 29

Debris Netting

Debris Netting	32 - 33
Safety Debris Netting	34 - 35
Privacy Fence Netting	36 - 37
Personnel Safety Nets	38 - 39
Heavy Duty Debris Nets	40 - 41
Printed Mesh	42 - 43

Construction Tarps

Flame Retardant Poly Tarps	46 - 47
Mesh Debris Tarps	48 - 49
Mesh Screen Tarps	50 - 51
Nylon Tarps	52 - 53
Insulated Tarps	54 - 55
Snow Lifting Tarps	56 - 57

Specialty Products

Cover Guard	60 - 61
Military Switchboard Matting	62 - 63
Sound Curtains	64 - 65
Poly Burlap Curing Blankets	66 - 67
Conkure Blankets	68 - 69
Vapor Block	70 - 71
Welding Fire Blanket	72 - 73

Total Containment Systems

TEPE System	76 - 77
E-trax System	78 - 79
Containment Roof Bonnets	80 - 81
Containment Funnels	82 - 83

Industrial Equipment

Decon Shower Facilities	86 - 87
Dust Collectors	88 - 89
Black Max Fans	90 - 91
Ducting	92
Dust Socks	93
Negative Air Units	94 - 95

Other

Hardware & Accessories	96 - 98
Notes	99





CONTAINMENT TARPS

COATED AIRBAG TARPS 6 – 7
COATED RIPSTOP TARPS 8 – 9
COATED GEOTARPS 10 – 11
GEOSCREENS 12 – 13
VINYL TARPS 14 – 15
DURASHIELD TARPS 16 – 17
CANVAS TARPS 18 – 19





COATED AIRBAG TARPS

COATED AIRBAG TARPS
AIR series

AIRBAG NYLON CONTAINMENT TARP



- 420 denier silicone coated woven nylon
- Impermeable fabric
- 2" seatbelt webbing reinforced on all edges, internal seams & overlaps
- Brass grommets every 2 feet on all edges, internal seams & overlaps
- Reinforced sewn corners for added durability
- Approved SSPC Class 1A Containment
- Flame Retardant meets FMVSS 302 Test Method



PRODUCT BENEFITS

- Quality custom fabrication workmanship
- Made in USA
- Provides a negative pressure enclosure
- Contains dust, debris, overspray & waste
- Material is flexible & easy to handle
- Reusable, easy to fold and store

APPLICATIONS

- Sandblasting & coatings containment
- Abatement containment
- Bridge & overpass projects
- Water tower & tank projects
- Ship repair & drydock projects
- Fireproofing overspray projects



TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
Custom tarp	Varies upon availability	FR - FMVSS 302	AIR-0000	1/bag
20' x 100'	Varies upon availability	FR - FMVSS 302	AIR-20100	1/bag
30' x 100'	Varies upon availability	FR - FMVSS 302	AIR-30100	1/bag
30' x 50'	Varies upon availability	FR - FMVSS 302	AIR-3050	1/bag
35' x 50'	Varies upon availability	FR - FMVSS 302	AIR-3550	1/bag
40' x 60'	Varies upon availability	FR - FMVSS 302	AIR-4060	1/bag
50' x 50'	Varies upon availability	FR - FMVSS 302	AIR-5050	1/bag
60' x 40'	Varies upon availability	FR - FMVSS 302	AIR-6040	1/bag
100' x 15'	Varies upon availability	FR - FMVSS 302	AIR-10015	1/bag





COATED RIPSTOP TARPS

COATED RIPSTOP TARPS
RIP series

RIPSTOP NYLON CONTAINMENT TARP



- 840 Denier woven ripstop nylon fabric with a PVC impermeable coating
- 2" seatbelt webbing reinforced on all edges, internal seams & overlaps
- Brass grommets every 2 feet on all edges, internal seams & overlaps
- Reinforced sewn corners for added durability
- Approved SSPC Class 1A Containment
- Flame Retardant meets FMVSS 302 Test Method

crosshatch ripstop pattern



PRODUCT BENEFITS

- Quality custom fabrication workmanship
- Made in USA
- Provides a negative pressure enclosure
- Contains dust, debris, overspray & waste
- Material is flexible & easy to handle
- Reusable, easy to fold and store

APPLICATIONS

- Sandblasting & coatings containment
- Abatement containment
- Bridge & overpass projects
- Water tower & tank projects
- Ship repair & drydock projects
- Fireproofing overspray projects



TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
Custom tarp	Natural White	FR - FMVSS 302	RIP-0000	1/bag





COATED GEOTARPS

COATED GEOTARPS
GT series

POLYPROPYLENE CONTAINMENT TARP



- 6.7 oz. woven coated polypropylene fabric
- Impermeable coated fabric, white in color
- 2" seatbelt webbing reinforced on all edges, internal seams & overlaps
- Brass grommets every 2 feet on all edges, internal seams & overlaps
- Reinforced sewn corners for added durability
- Approved SSPC Class 1A Containment
- Flame Retardant (FR) meets NFPA 701 Test Method II



PRODUCT BENEFITS

- Quality custom fabrication workmanship
- Made in USA
- Provides a negative pressure enclosure
- Contains dust, debris, overspray & waste
- Material is flexible & easy to handle
- Reusable, easy to fold and store

APPLICATIONS

- Sandblasting & coatings containment
- Abatement containment
- Water tower & tank projects
- Ship repair & drydock projects
- Restoration projects
- Construction winter enclosure



TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
Custom tarp	White	Non-FR	GT-0000	1/bag
Custom tarp	White	FR	GTFR-0000	1/bag
21' x 20'	White	FR	GTFR-2120	1/bag
24' x 40'	White	Non-FR	GT-2440	1/bag
30' x 100'	White	Non-FR	GT-30100	1/bag
35' x 50'	White	Non-FR	GT-3550	1/bag
35' x 50'	White	FR	GTFR-3550	1/bag
42' x 150'	White	Non-FR	GT-42150	1/bag





GEOSCREENS

85% GEOSCREENS
GS series

POLYPROPYLENE SANDBLAST SCREENS



- High strength woven polypropylene screen
- 85% mesh
- Black screen is Non-Flame Retardant
- White screen is Flame Retardant
- 2" seatbelt webbing reinforced on all edges, internal seams & overlaps
- Brass grommets every 2 feet on all edges, internal seams & overlaps
- Reinforced sewn corners for added durability



PRODUCT BENEFITS

- Quality custom fabrication workmanship
- Made in USA
- Contains dust, debris, overspray
- Allows air to pass through
- Material is strong & durable
- Mildew resistant & rust resistant



APPLICATIONS

- Sandblasting & coatings containment
- Outdoor blasting booths
- Water tower & tank projects
- Shipyards & drydocks
- Plant & refinery maintenance projects
- Fireproofing overspray projects

TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
Custom tarp	Black	Non-FR	GS-85B-0000	1/bag
10' x 20'	Black	Non-FR	GS-85B-1020	1/bag
20' x 20'	Black	Non-FR	GS-85B-2020	1/bag
20' x 40'	Black	Non-FR	GS-85B-2040	1/bag
30' x 50'	Black	Non-FR	GS-85B-3050	1/bag
60' x 40'	Black	Non-FR	GS-85B-6040	1/bag

TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
Custom tarp	White	FR	GS-86W-0000	1/bag
20' x 20'	White	FR	GS-86W-2020	1/bag
30' x 50'	White	FR	GS-86W-3050	1/bag





VINYL TARPS

VINYL TARPS
VT series

HEAVY DUTY PVC COATED VINYL TARPS



- High strength PVC coated vinyl fabric
- 10 oz., 13 oz., 14 oz., 18 oz., 22 oz., 40 oz.
- Weather resistant solid fabric
- 2" seatbelt webbing reinforced on all edges, internal seams & overlaps
- Brass grommets every 2 feet on all edges, internal seams & overlaps
- Various colors available
- Flame Retardant (FR) meets NFPA 701 Test Method II

PRODUCT BENEFITS

- Quality custom fabrication workmanship
- Made in USA
- Contains dust, debris and overspray
- Heavy duty impermeable fabric
- Material is strong & durable
- Mildew resistant & rust resistant

APPLICATIONS

- Sandblasting & coatings containment
- Ground cover
- New construction projects
- Restoration projects
- Shipyards & drydocks
- Plant & refinery maintenance projects




TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
10 oz. Custom tarp	Various	FR, Non-FR	VT10-0000	1/bag
13 oz. Custom tarp	Various	FR, Non-FR	VT13-0000	1/bag
14 oz. Custom tarp	Various	FR, Non-FR	VT14-0000	1/bag
18 oz. Custom tarp	Various	FR, Non-FR	VT18-0000	1/bag
22 oz. Custom tarp	Various	FR, Non-FR	VT22-0000	1/bag
40 oz. Custom tarp	Various	FR, Non-FR	VT40-0000	1/bag





DURASHIELD TARPS

DURASHIELD TARPS
DST series



HEAVY DUTY WOVEN POLY TARP

- Extrusion coated woven polyethylene fabric
- Mil thickness: 12 mil, 14 mil, 16 mil, 20 mil
- Heat welded center seams
- 2" seatbelt webbing reinforced on all edges, internal seams & overlaps
- Brass grommets every 2 feet on all edges, internal seams & overlaps
- Reinforced sewn corners for added durability
- Flame Retardant (FR) meets NFPA 701 Test Method II

PRODUCT BENEFITS

- Contains dust, debris & overspray
- Provides a negative pressure enclosure
- Durable material for long term usage
- Coated material for weather protection
- Provides a solid wind block
- Quality custom fabrication workmanship

APPLICATIONS

- Industrial jobsite enclosures
- Solid weather protection
- Scaffolding containment
- Industrial roof covers
- Building enclosures
- Keder panel tarping systems



MIL THICKNESS	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
12 mil	Silver/White	Non-FR	DST-12	1/bag
12 mil FR	Off White	FR	DST-12-FR	1/bag
14 mil	Black/White	Non-FR	DST-14	1/bag
16 mil	Blue/White	Non-FR	DST-16	1/bag
20 mil	White	Non-FR	DST-20	1/bag
20 mil FR	Off White	FR	DST-20-FR	1/bag





CANVAS TARPS

CANVAS TARPS
CAN series

HEAVY DUTY CANVAS COVERS



- High strength twill woven duct cotton
- 12 oz. fabric
- Olive green in color
- Hemmed edges are double folded, double stitched and include grommets every 2 feet
- UV treated
- Mildew resistant, weather resistant
- Flame Retardant available

PRODUCT BENEFITS

- Heavy duty tarpaulin cover
- Covers exposed material from weather
- FR Canvas is highly resistant to heat
- Contains dust, debris, overspray & waste
- Material is flexible & easy handle
- Reusable, easy to fold & store

APPLICATIONS

- Temporary covers
- Plant & refinery maintenance
- Offshore oil rigs
- Sandblasting & coatings containment
- Ship repair & drydock projects
- General construction projects



TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
Custom tarp	Olive Drab	FR	CAN-0000	1/bag
10' x 8'	Olive Drab	FR	CAN-12-1008-FR	1/bag
10' x 12'	Olive Drab	FR	CAN-12-1012-FR	1/bag
12' x 12'	Olive Drab	FR	CAN-12-1212-FR	1/bag
12' x 14'	Olive Drab	FR	CAN-12-1214-FR	1/bag
12' x 16'	Olive Drab	FR	CAN-12-1216-FR	1/bag
20' x 20'	Olive Drab	FR	CAN-12-2020-FR	1/bag
20' x 20'	Olive Drab	Non-FR	CAN-12-2020	1/bag
20' x 30'	Olive Drab	FR	CAN-12-2030-FR	1/bag





POLY SHEETING

STRING REINFORCED POLY 22 – 23
WOVEN REINFORCED POLY 24 – 25
SCAF-LITE™ SCAFFOLD SHEETING 26 – 27
SHRINK WRAP CONTAINMENT 28 – 29



STRING REINFORCED POLY

STRING REINFORCED POLY
DS series | SP series

TEMPORARY POLY ENCLOSURE

- High strength polyethylene film built with a laminate scrim reinforcement
- 6 mil and 10 mil thickness
- Tear resistant scrim
- Weather, mold and mildew resistant sheeting
- Flame Retardant (FR) meets NFPA 701 Test Method II



Domestic USA



Import



PRODUCT BENEFITS

- Provides a containment for dust & debris
- Creates a temporary weather enclosure
- Increases temporary heating efficiencies
- Flexible, easy to handle, easy to install
- Handles well in low temperatures
- Allows sunlight to transmit through



APPLICATIONS

- General building construction
- Scaffolding enclosure
- Abatement & remediation
- Winter & weather enclosure
- Environmental containment
- Temporary walls & ground cover



String Reinforced Poly

ROLL SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
6 mil 20' x 100'	Clear Translucent	Non-FR	DS6-20100	1/bag, 30/pallet
6 mil 20' x 100'	Off White Opaque	FR	DS6-20100-FR	1/bag, 30/pallet
6 mil 40' x 100'	Clear Translucent	Non-FR	DS6-40100	1/bag, 12/pallet
6 mil 40' x 100'	Off White Opaque	FR	DS6-40100-FR	1/bag, 12/pallet
10 mil 20' x 100'	Clear Translucent	Non-FR	DS10HUV-20100	1/bag, 16/pallet
10 mil 20' x 100'	Off White Opaque	FR	DS10HUV-20100-FR	1/bag, 16/pallet

Diamond Reinforced Poly

ROLL SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
6 mil 20' x 100'	Clear Translucent	Non-FR	SP6-20100	1/bag, 24/pallet
6 mil 20' x 100'	Off White Opaque	FR	SP6-20100-FR	1/bag, 24/pallet
6 mil 40' x 100'	Clear Translucent	Non-FR	SP6-40100	1/bag, 12/pallet
6 mil 40' x 100'	Off White Opaque	FR	SP6-40100-FR	1/bag, 12/pallet



WOVEN REINFORCED POLY

WOVEN REINFORCED POLY
WP series

TEMPORARY POLY ENCLOSURE


- High strength woven coated reinforced polyethylene sheeting
- 7x7 square inch weave pattern
- 5 mil thickness
- Tear resistant, rip resistant
- Weather, mold and mildew resistant sheeting
- Flame Retardant (FR) meets NFPA 701 Test Method II



FR



Non-FR



PRODUCT BENEFITS

- Provides a containment for dust & debris
- Creates a temporary weather enclosure
- Increases temporary heating efficiencies
- Flexible, easy to handle, easy to install
- Handles well in low temperatures
- Allows sunlight to transmit through

APPLICATIONS

- General building construction
- Scaffolding enclosure
- Abatement & remediation
- Winter & weather enclosure
- Environmental containment
- Temporary walls & ground cover



ROLL SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
20' x 100'	Translucent	Non-FR	WP7-20100	1/box, 40/pallet
20' x 100'	White	FR	WP7-20100-FR	1/box, 40/pallet
40' x 100'	Translucent	Non-FR	WP7-40100	1/box, 16/pallet
40' x 100'	White	FR	WP7-40100-FR	1/box, 16/pallet






SCAF-LITE™ SCAFFOLD SHEETING

SCAF-LITE™ SCAFFOLD SHEETING
SL series

PREMIUM SCAFFOLDING ENCLOSURE

- High strength string reinforced polyethylene sheeting built with reinforced eyelet bands
- 6 mil sheeting = White eyelet bands
- 10 mil sheeting = Blue eyelet bands
- Tear resistant, weather resistant and UV treated
- Flame Retardant (FR) meets NFPA 701 Test Method II



Scaf-Lite™ Installation System



PRODUCT BENEFITS

- Provides an enclosure to protect from weather
- Provides a containment for dust & debris
- Increases temporary heating efficiencies
- Easy to install with Eagle bungee ties
- Handles well in low temperatures
- Allows sunlight to transmit through



APPLICATIONS

- Scaffolding enclosure
- Temporary heating enclosure
- Restoration & new construction
- Winter & weather protection
- Environmental containment
- Industrial coatings containment

6 mil Scaffold Sheeting


ROLL SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
6 mil 20' x 100'	Clear	Non-FR	SL6-20100	1/bag, 20/pallet
6 mil 20' x 100'	White	FR	SL6-20100-FR	1/bag, 20/pallet

10 mil Scaffold Sheeting

ROLL SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
10 mil 7'4" x 136'	Clear	Non-FR	SL-74136	1/bag, 25/pallet
10 mil 7'4" x 136'	White	FR	SL-74136-FR	1/bag, 25/pallet
10 mil 8'6" x 100'	White	FR	SL-86100-FR	1/bag, 25/pallet
10 mil 13' x 100'	Clear	Non-FR	SL-13100	1/bag, 25/pallet
10 mil 13' x 100'	White	FR	SL-13100-FR	1/bag, 25/pallet

Scaffold Sheeting accessories

DESCRIPTION	COLOR	ITEM NO.	PACKAGING
Elastic Bungee Ties 12"	White/Black	A-BUN12	1,000/case
White Poly Tape 4" x 180'	White	A-TAPE-4	12/case
White Poly Tape 6" x 180'	White	A-TAPE-6	8/case
Screwloc Connectors	White	A-SCR	500/case
Clear Vinyl Zipper Door	Clear	A-ZIP5472	1/each





SHRINK WRAP CONTAINMENT

SHRINK WRAP CONTAINMENT SW series

PREMIUM EAGLE SHRINK WRAP

- Premium grade poly film sheeting formulated with industry leading shrink properties
- 9 mil, 10 mil, 12 mil thickness
- Weather resistant
- Mold & mildew resistant
- Aggressive bonding characteristics
- Consistent mil thickness throughout film
- Flame Retardant (FR) meets NFPA 701 Test Method II



PRODUCT BENEFITS

- Creates a seamless, tight weather enclosure
- Provides a containment for dust & debris
- Used to cover equipment & assets
- Conforms to any structure
- Allows sunlight to transmit through
- Easy to patch, easy to repair



APPLICATIONS

- Scaffolding containment
- Construction building enclosure
- Environmental containment
- Industrial tank coatings & sandblasting
- Marine ship repair & construction
- Bridge & overpass rehabilitation projects


Shrink Wrap stock sizes

ROLL SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
9 mil 26' x 62'	White	FR	SW9-2662-WHT-FR	1/box, 16/pallet
9 mil 20' x 100'	White	FR	SW9-20100-WHT-FR	1/box, 20/pallet
9 mil 30' x 100'	White	FR	SW9-30100-WHT-FR	1/box, 9/pallet
9 mil 30' x 100'	White	Non-FR	SW9-30100-WHT	1/box, 9/pallet
10 mil 32' x 70'	White	FR	SW10-3270-WHT-FR	1/box, 12/pallet
12 mil 26' x 62'	White	FR	SW12-2662-WHT-FR	1/box, 12/pallet
12 mil 20' x 75'	White	FR	SW12-2075-WHT-FR	1/box, 12/pallet
12 mil 20' x 100'	White	FR	SW12-20100-WHT-FR	1/box, 12/pallet
12 mil 30' x 100'	White	FR	SW12-30100-WHT-FR	1/box, 9/pallet
12 mil 32' x 70'	White	FR	SW12-3270-WHT-FR	1/box, 9/pallet

Shrink Wrap accessories

DESCRIPTION	COLOR	ITEM NO.	PACKAGING
White poly tape 4" x 180'	White	A-TAPE-4	12/case
White poly tape 6" x 180'	White	A-TAPE-6	8/case
HD Strapping 3/4" x 1640'	White	A-STR34HD	4/case
HD Strapping 3/4" x 1500' FR	White/Red Line	A-STR34HD-FR	2/case
Adhesive spray glue	Natural	A-SPRAY	12/case
Clear vinyl zipper door	Clear	A-ZIP5472	1/box
Shrink Heat Torch	N/A	A-SW201	1/box
ShrinkFast Heat Gun 998	N/A	A-SW301	1/box





DEBRIS NETTING

DEBRIS NETTING 32 – 33
SAFETY DEBRIS NETTING 34 – 35
PRIVACY FENCE NETTING 36 – 37
PERSONNEL SAFETY NETS 38 – 39
HEAVY DUTY DEBRIS NETS 40 – 41
PRINTED MESH 42 – 43




DEBRIS NETTING

DEBRIS NETTING
DN series



DEBRIS & SAFETY PROTECTION


- High strength knitted polyethylene mesh (HDPE)
- 1/16" hole openings
- Edges include reinforced eyelet button holes for fastening to scaffolding or cables
- Tear resistant, will not unravel when cut
- UV treated
- Flame Retardant (FR) meets NFPA 701 Test Method II




BLACK




WHITE



GREEN



BLUE



DESERT TAN




PRODUCT BENEFITS

- Protects dust, debris & tools from falling
- Protects pedestrians & adjacent properties
- Creates a scaffolding enclosure
- Creates a wind block or shade cloth
- Provides a visual barrier for added privacy
- Tear resistant, will not unravel when cut

APPLICATIONS

- Scaffolding enclosure
- Construction building enclosure
- Demolition containment
- Temporary guardrail protection
- Restoration projects
- Special events, sporting events



ROLL SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
4' x 150'	Black	FR	DN50-04150-BLK-FR	1/bag, 50/pallet
4' x 150'	Blue	FR	DN50-04150-BLU-FR	1/bag, 50/pallet
8' x 150'	Black	Non-FR	DN50-08150-BLK	1/bag, 20/pallet
8' x 150'	Black	FR	DN50-08150-BLK-FR	1/bag, 20/pallet
8'6" x 150'	Black	FR	DN50-86150-BLK-FR	1/bag, 20/pallet
8'6" x 150'	Green	FR	DN50-86150-GRN-FR	1/bag, 20/pallet
8'6" x 150'	White	FR	DN50-86150-WHT-FR	1/bag, 20/pallet
10' x 150'	Black	Non-FR	DN50-10150-BLK	1/bag, 16/pallet
10' x 150'	Black	FR	DN50-10150-BLK-FR	1/bag, 16/pallet
10' x 150'	Blue	FR	DN50-10150-BLU-FR	1/bag, 16/pallet
10' x 150'	Desert Tan	FR	DN50-10150-DST-FR	1/bag, 16/pallet
10' x 150'	Green	FR	DN50-10150-GRN-FR	1/bag, 16/pallet
10' x 150'	White	Non-FR	DN50-10150-WHT	1/bag, 16/pallet
10' x 150'	White	FR	DN50-10150-WHT-FR	1/bag, 16/pallet
12' x 150'	Black	Non-FR	DN50-12150-BLK	1/bag, 12/pallet
12' x 150'	Black	FR	DN50-12150-BLK-FR	1/bag, 12/pallet
12' x 300'	Black	FR	DN50-12300-BLK-FR	1/bag, 12/pallet
20' x 200'	Black	FR	DN50-20200-BLK-FR	1/bag, 9/pallet




SAFETY DEBRIS NETTING

SAFETY DEBRIS NETTING
SN series

SAFETY & DEBRIS PROTECTION



- High strength knitted polyethylene mesh (HDPE)
- 1/4" hole openings
- Edges include reinforced hems for fastening the net to scaffolding or cables
- Tear resistant, will not unravel when cut
- UV treated
- Flame Retardant (FR) meets NFPA 701 Test Method II



PRODUCT BENEFITS

- Protects dust, debris & tools from falling
- Protect pedestrians & adjacent properties
- Creates a temporary guardrail
- Provides a visual safety barrier
- Helps contain small tools, fasteners & debris
- Tear resistant, will not unravel when cut

APPLICATIONS

- Guardrail debris protection
- Scaffolding enclosure
- Construction building enclosure
- Industrial plant & refinery maintenance
- Demolition containment
- Safety fence, barrier net, snow fence



ROLL SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
2' x 150'	Blue	FR	SN-02150-BLU-FR	1/bag, 100/pallet
2' x 150'	Orange	FR	SN-02150-ORG-FR	1/bag, 100/pallet
4' x 150'	Black	FR	SN-04150-BLK-FR	1/bag, 50/pallet
4' x 150'	Blue	FR	SN-04150-BLU-FR	1/bag, 50/pallet
4' x 150'	Orange	FR	SN-04150-ORG-FR	1/bag, 50/pallet
4' x 150'	Green	FR	SN-04150-GRN-FR	1/bag, 50/pallet
4' x 150'	Yellow	FR	SN-04150-YEL-FR	1/bag, 50/pallet
5'6" x 150'	Blue	FR	SN-56150-BLU-FR	1/bag, 50/pallet
5'6" x 150'	Orange	FR	SN-56150-ORG-FR	1/bag, 50/pallet
8'6" x 150'	Black	Non-FR	SN-86150-BLK	1/bag, 25/pallet
8'6" x 150'	Black	FR	SN-86150-BLK-FR	1/bag, 25/pallet
8'6" x 150'	Blue	FR	SN-86150-BLU-FR	1/bag, 25/pallet
8'6" x 150'	Orange	FR	SN-86150-ORG-FR	1/bag, 25/pallet
10' x 150'	Black	FR	SN-10150-BLK-FR	1/bag, 20/pallet
10'6" x 150'	Blue	FR	SN-106150-BLU-FR	1/bag, 20/pallet
10'6" x 150'	Orange	FR	SN-106150-ORG-FR	1/bag, 20/pallet
10'6" x 150'	Yellow	FR	SN-106150-YEL-FR	1/bag, 20/pallet
12' x 150'	Blue	FR	SN-12150-BLU-FR	1/bag, 20/pallet
15' x 150'	Blue	FR	SN-15150-BLU-FR	1/bag, 20/pallet



PRIVACY FENCE NETTING

PRIVACY FENCE NETTING
PF series



FENCE SCREEN PROTECTION

- High strength knitted polyethylene mesh (HDPE)
- 90% shade mesh
- **Roll Goods:** edges include reinforced eyelet button holes for fastening to fencing
- **Pre-made Panels:** edges include webbing and grommets for fastening to fencing
- Custom logos and banners are available



GREEN



BLACK



BLUE



DESERT TAN



PRODUCT BENEFITS

- Provides a visual barrier for privacy
- Protect dust & debris on the jobsite
- Creates a wind block
- Creates crowd control for events
- Tear resistant, will not unravel when cut
- Will not get brittle or crack in harsh environments

APPLICATIONS

- Construction jobsite fencing
- Demolition jobsites
- Special events & sporting events
- Concerts & stage netting
- Private property fencing
- Scaffolding enclosure



Roll goods include reinforced eyelet button holes

ROLL SIZE	COLOR	EDGES	ITEM NO.	PACKAGING
5'8" x 150'	Black	Button holes	PF90-58150-BLK	1/bag, 25/pallet
5'8" x 150'	Blue	Button holes	PF90-58150-BLU	1/bag, 25/pallet
5'8" x 150'	Desert Tan	Button holes	PF90-58150-DST	1/bag, 25/pallet
5'8" x 150'	Green	Button holes	PF90-58150-GRN	1/bag, 25/pallet
7'8" x 150'	Black	Button holes	PF90-78150-BLK	1/bag, 25/pallet
7'8" x 150'	Blue	Button holes	PF90-78150-BLU	1/bag, 25/pallet
7'8" x 150'	Desert Tan	Button holes	PF90-78150-DST	1/bag, 25/pallet
7'8" x 150'	Green	Button holes	PF90-78150-GRN	1/bag, 25/pallet
10' x 150'	Black	Button holes	PF90-10150-BLK	1/bag, 16/pallet
10' x 150'	Blue	Button holes	PF90-10150-BLU	1/bag, 16/pallet
10' x 150'	Desert Tan	Button holes	PF90-10150-DST	1/bag, 16/pallet
10' x 150'	Green	Button holes	PF90-10150-GRN	1/bag, 16/pallet

Pre-Fabricated Panels include reinforced webbing & grommets

PANEL SIZE	COLOR	EDGES	ITEM NO.	PACKAGING
5'8" x 50'	Green	Web & grommets	PF9-5850-GRN	3/bag, 9/bale
7'8" x 50'	Green	Web & grommets	PF9-7850-GRN	2/bag, 8/bale




PERSONNEL SAFETY NETS

PERSONNEL SAFETY NETS
PSN series



FALL PROTECTION SAFETY NET

- Made from high tenacity knotted nylon net
- 3.5" diamond base net
- 70% debris net liners are optional
- Hooks are staggered every 4 feet on perimeter
- Tested & approved up 17,500 lbs.
- Meets ANSI safety net standard A10.11-1989



70% MESH LINER




PRODUCT BENEFITS

- Protects workers from fall protection
- Protects dust, debris & tools from falling
- Protects pedestrians & adjacent properties
- Provides leading edge protection
- Hooks are included with each safety net
- All safety nets are tested and approved



APPLICATIONS

- New construction & demolition
- Leading edge safety protection
- Bridge maintenance & construction
- Plant & refinery maintenance
- Tunnels & overpasses



NET SIZE	COLOR	DEBRIS NET LINER	ITEM NO.	PACKAGING
Custom net	Black	70% mesh, optional	PSN-0000	1/box
10' x 20'	Black	70% mesh, optional	PSN-1020	1/box
15' x 15'	Black	70% mesh, optional	PSN-1515	1/box
15' x 20'	Black	70% mesh, optional	PSN-1520L	1/box
15' x 25'	Black	70% mesh, optional	PSN-1525L	1/box
15' x 30'	Black	70% mesh, optional	PSN-1530L	1/box
15' x 40'	Black	70% mesh, optional	PSN-1540L	1/box
17' x 24' x 17'	Black	70% mesh, optional	PSN-172417	1/box
20' x 20'	Black	70% mesh, optional	PSN-2020	1/box
20' x 25'	Black	70% mesh, optional	PSN-2025	1/box
20' x 30'	Black	70% mesh, optional	PSN-2030	1/box
20' x 40'	Black	70% mesh, optional	PSN-2040	1/box
25' x 25'	Black	70% mesh, optional	PSN-2525	1/box
25' x 50'	Black	70% mesh, optional	PSN-2550	1/box
30' x 40'	Black	70% mesh, optional	PSN-3040	1/box




HEAVY DUTY DEBRIS NETS

HEAVY DUTY DEBRIS NETS RB series




HEAVY DEBRIS CONTAINMENT

- Made from high tenacity knotless polypropylene
- 2.5" square base net
- Debris net liner sewn attached
- Perimeter edges include webbing & grommets
- Options: 2,000 lb., 5,000 lb., 10,000 lb. rating
- Meets ANSI A10.37 for debris containment



70% MESH 1/16" LINER



3/8" DNR LINER

PRODUCT BENEFITS

- Protects small & chunk debris from falling
- Protects tools from falling
- Protects pedestrians & adjacent properties
- Provides leading edge protection
- Available in black or gray
- All nets are tested and approved

APPLICATIONS

- New building construction
- Leading edge safety protection
- Demolition debris containment
- Bridge maintenance & construction
- Tunnels & overpasses
- Industrial plant & refinery maintenance



NET RATING	COLOR	DEBRIS NET LINER	ITEM NO.	PACKAGING
2,000 lb.	Black or Gray	1/16" or 3/8"	HDNET-2000	1/box
5,000 lb.	Black or Gray	1/16" or 3/8"	HDNET-5000	1/box
10,000 lb.	Black or Gray	1/16" or 3/8"	HDNET-10000	1/box





PRINTED MESH

PRINTED MESH
PM series

LOGO AND IMAGE PRINTING

- 7 oz. 70% mesh, 9 oz. 90% mesh
- Hi-Resolution logo printing, image printing and decorative scrim
- Capable of printing on debris netting, fence netting and PVC vinyl mesh
- Made from high strength reinforced PVC vinyl fabric
- Heat sealed edges and grommets, webbing is optional
- Flame Retardant (FR) meets NFPA 701 Test Method II



PRODUCT BENEFITS

- Visually connect with clients
- Brand your company through advertising space
- Revenue stream by branding multiple companies
- Custom retail & commercial decor solutions
- Protect or hide ongoing construction jobsites
- Logo branding and marketing



APPLICATIONS

- Building wrap
- New construction building enclosure
- Restoration enclosure
- Logo fence screens & debris netting
- Special events & sporting venues
- Company branding and advertising

PRINTED MESH	MESH	WEIGHT	FLAME RETARDANT	ITEM NUMBER
Custom Printed Mesh	70% PVC Vinyl	7 oz.	Flame Retardant	PM70-0000-FR
Custom Printed Mesh	90% PVC Vinyl	9 oz.	Flame Retardant	PM90-0000-FR





CONSTRUCTION TARPS

FLAME RETARDANT POLY TARPS	46 – 47
MESH DEBRIS TARPS	48 – 49
MESH SCREEN TARPS	50 – 51
NYLON TARPS	52 – 53
INSULATED TARPS	54 – 55
SNOW LIFTING TARPS	56 – 57



FLAME RETARDANT POLY TARPS

FLAME RETARDANT POLY TARPS PT series

FR APPROVED WOVEN POLY TARPS




- Flame retardant coated woven polyethylene
- Economy Tarp** - 8x8 weave, 6 mil thickness
Grommets every 3 feet on edges & internal seams
Plastic reinforced corners
 - Premium Tarp** - 10x10 weave, 8 mil thickness
Grommets every 3 feet on edges & internal seams
Rope border on edges & seams for extra durability
Large reinforced corner patches
 - Extreme Tarp** - 14x14 weave, 12 mil thickness
Grommets every 3 feet on internal seams
Heavy duty D-rings every 2 feet on edges
Large 4" hemmed edges with 4 rows of stitching
Rope border on edges & seams for extra durability



PRODUCT BENEFITS

- Provides a scaffolding tarp enclosure
- Protect the jobsite from wind and weather
- Provide a containment for dust & debris
- Easy to install, remove and tie down
- Flame Retardant (FR) meets NFPA 701 Test Method II



APPLICATIONS

- New building construction
- Restoration & demolition
- Scaffolding enclosure, temporary cover
- Weather enclosure, wind block
- Fireproofing overspray, dust control

ECONOMY FR TARP

TARP SIZE	STYLE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
20' x 30'	8x8 weave, 6 mil	White	FR	PT-2030-FR	1/bag, 4/bale

- 8x8 weave pattern
- 6 mil coated woven polyethylene
- Grommets every 3 feet on edges & seams
- Plastic reinforced corners
- Weather resistant coating
- FR approved NFPA 701 Test Method II

PREMIUM FR TARP

TARP SIZE	STYLE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
15' x 20'	10x10 weave, 8 mil	White	FR	PTP-1520-FR	1/bag, 6/bale
20' x 30'	10x10 weave, 8 mil	White	FR	PTP-2030-FR	1/bag, 3/bale

- 10x10 weave pattern
- 8 mil coated woven polyethylene
- Grommets every 3 feet on edges & seams
- Large reinforced corner patches
- Rope border sewn in hemmed edges
- FR approved NFPA 701 Test Method II

EXTREME FR TARP

TARP SIZE	STYLE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
20' x 20'	14x14 weave, 12 mil	White	FR	PTE-2020-FR	1/bag, 3/bale
20' x 30'	14x14 weave, 12 mil	White	FR	PTE-2030-FR	1/bag, 2/bale
20' x 50'	14x14 weave, 12 mil	White	FR	PTE-2050-FR	1/bag, 1/bale

- 14x14 weave pattern
- 12 mil coated woven polyethylene
- D-rings every 2 feet on perimeter edges
- Grommets every 3 feet on seams
- Rope border sewn in hemmed edges
- FR approved NFPA 701 Test Method II




MESH DEBRIS TARPS

70% MESH DEBRIS TARPS
MT series




70% MESH DEBRIS NETTING

- High strength knitted polyethylene mesh
- 70% mesh, 1/16" hole openings
- Edges are hemmed with grommets every 3 feet
- Internal center seam includes additional grommets
- Tear resistant and UV treated
- Flame Retardant (FR) meets NFPA 701 Test Method II



BLACK



GREEN



DESERT TAN



PRODUCT BENEFITS

- Provides a mesh scaffolding enclosure
- Provides wind block
- Helps contain dust, debris and overspray
- Easy to tie down as a temporary cover
- Grommets located around the perimeter
- Additional tie downs down the internal seams

APPLICATIONS

- Scaffolding enclosure
- Fireproofing overspray tarp
- Demolition debris containment
- Plastering, stucco, EIFS projects
- New building construction projects
- Restoration projects



TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
20' x 50'	Black	FR	MT-2050-BLK-FR	1/bag, 2/bale
20' x 50'	Dark Green	FR	MT-2050-DGR-FR	1/bag, 2/bale
20' x 50'	Desert Tan	FR	MT-2050-DST-FR	1/bag, 2/bale





MESH SCREEN TARPS

85% MESH SCREEN TARPS
MS series



85% MESH POLYPROPYLENE

- High strength woven polypropylene mesh fabric
- 85% mesh
- Edges are hemmed with grommets every 3 feet
- Internal center seam includes additional grommets
- Tear resistant and UV treated
- Flame Retardant (FR white) meets NFPA 701 Test Method II



GREEN



BLACK



WHITE FR



PRODUCT BENEFITS

- Provides a mesh scaffolding enclosure
- Provides a wind block
- Helps contain dust, debris and overspray
- Easy to tie down as a temporary cover
- Grommets located around the perimeter
- Additional tie downs down the internal seams

APPLICATIONS

- Scaffolding enclosure
- Fireproofing overspray tarp
- Demolition debris containment
- Plastering, stucco, EIFS projects
- New building construction projects
- Restoration projects



TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
20' x 50'	Black	Non-FR	MS-2050-BLK	1/bag, 2/bale
20' x 50'	Dark Green	Non-FR	MS-2050-GRN	1/bag, 2/bale
20' x 50'	White	FR	MS-2050-WHT-FR	1/bag, 2/bale





NYLON TARPS

NYLON TARPS
NT series

FIREPROOFING OVERSPRAY CONTAINMENT



- 420 denier woven nylon fabric
- Tear resistant
- Used as fireproofing containment
- White in color
- Perimeter edges are hemmed, stitched and reinforced with brass grommets every 3 feet
- Internal center centers are hemmed and reinforced with brass grommets every 3 feet
- Flame Retardant (FR) meets NFPA 701 Test Method II



PRODUCT BENEFITS

- Quality custom fabrication workmanship
- Made in USA
- Provides a temporary building enclosure
- Contains dust, debris and overspray
- Material is flexible and easy to handle
- Reusable, easy to fold & store



APPLICATIONS

- Fireproofing overspray projects
- Commercial painting projects
- Abatement & demolition projects
- New steel building construction
- Winter enclosure
- Temporary dust & debris containment

TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
Custom tarp	White	Non-FR	NT-0000	1/bag
NT-2050	White	Non-FR	NT-2050	1/bag
NT-2050-FR	White	FR	NT-2050-FR	1/bag





INSULATED TARPS

INSULATED TARPS
IT series

FOAM INSULATED TARP ENCLOSURE



- Coated woven poly tarp with closed cell polyethylene foam sewn inside (PE)
- 1/4" PE Foam, 10x10 weave outer shell
- 3/16" PE Foam, 10x10 weave outer shell
- Orange in color
- Mildew resistant, weather resistant
- UV treated
- Edges are hemmed and include grommets every 2 feet around the perimeter



PRODUCT BENEFITS

- Provides an insulated winter enclosure
- Creates a wind block from harsh weather
- Increases temporary heating efficiencies
- Flexible, easy to handle, easy to install
- Handles well in low temperatures
- 100% Reusable



APPLICATIONS

- Winter construction enclosure
- Scaffolding enclosure
- Temporary heat enclosure
- Concrete curing blanket
- Exterior restoration projects
- Temporary walls, covers, ground cover

TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
3/16" Foam 12' x 20'	Orange	Non-FR	IT-1220-3	1/bag, 4/bale
3/16" Foam 12' x 24'	Orange	Non-FR	IT-1224-3	1/bag, 4/bale
1/4" Foam 12' x 20'	Orange	Non-FR	IT-1220-4	1/bag, 4/bale
1/4" Foam 12' x 24'	Orange	Non-FR	IT-1224-4	1/bag, 4/bale





SNOW LIFTING TARPS

SNOW LIFTING TARPS
LT series



CONSTRUCTION SNOW TARPS

- High strength 18 oz. reinforced PVC Vinyl fabric
- Black in color
- Yellow webbing straps
- 4 ea - 10,000 lb. Heavy duty webbing straps (criss-cross and plus pattern)
- 8 ea - steel lifting o-rings
- Perimeter edges and corners are extra reinforced
- Quality stitching & fabrication



NOT ACTUAL SIZE
(Photo above is a sample tarp 3 ft. x 3 ft.)

PRODUCT BENEFITS

- Heavy duty webbing reinforcement adds strength & durability
- Reduces down time & keeps projects on schedule
- Highly effective, tear resistant & 100% reusable
- Easy to deploy, lift, fold & store

APPLICATIONS

- Quickly & efficiently clears snow from the jobsite
- Used to cover equipment and materials
- Used to cover rebar during concrete pours

TARP SIZE	WEIGHT	COLOR	WEBBING STRAPS	O-RINGS	ITEM NO.	PACKAGING
20' x 20'	18 oz. PVC Vinyl	Black	10,000 lb. Yellow	8 O-rings	LT-2020-18	1/bag,
25' x 25'	18 oz. PVC Vinyl	Black	10,000 lb. Yellow	8 O-rings	LT-2525-18	1/bag

* NOT INTENDED TO LIFT EQUIPMENT OR SUPPLIES *

DETAIL



--- LIFT AWAY ---
**400-625 SQUARE FEET
OF SNOW IN MINUTES**



Optional custom
lifting tarps available



SPECIALTY PRODUCTS

COVER GUARD 60 - 61
MILITARY SWITCHBOARD MATTING 62 - 63
SOUND CURTAINS 64 - 65
POLY BURLAP CURING BLANKETS 66 - 67
CONKURE BLANKETS 68 - 69
VAPOR BLOCK 70 - 71
WELDING FIRE BLANKETS 72 - 73



COVER GUARD SURFACE PROTECTION

COVER GUARD SURFACE PROTECTION CG series

FLAME RETARDANT TEMPORARY SURFACE PROTECTION

- **Diamond Plate:** 10 mil, 25 mil, 40 mil
- **Smooth Finish:** 20 mil, 30 mil
- Flame retardant molded polyethylene
- OSHA compliant, NAVSEA approved
- Diamond anti-slip meets ASTM C 1028-07



DIAMOND PLATE



SMOOTH FINISH




PRODUCT BENEFITS

- Provides temporary floor & surface protection
- Puncher resistant & water resistant
- Anti-static
- Easy to unroll, easy to install & remove
- Reusable & recyclable

APPLICATIONS

- Marine ships, aircrafts, boats, yachts
- Building construction sites
- Building restoration projects
- Hospitals, universities, government projects
- Utilities industry



Diamond Plate Cover Guard

MIL THICKNESS	ROLL SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
10 mil	36" x 393'	Ocean Blue	FR	CG-1036DP	1/box
10 mil	72" x 393'	Ocean Blue	FR	CG-1072DP	1/box
25 mil	36" x 180'	Ocean Blue	FR	CG-2536DP	1/box
25 mil	72" x 180'	Ocean Blue	FR	CG-2572DP	1/box
40 mil	36" x 120'	Ocean Blue	FR	CG-4036DP	1/box
40 mil	72" x 120'	Ocean Blue	FR	CG-4072DP	1/box

Smooth Finish Cover Guard

MIL THICKNESS	ROLL SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
20 mil	48" x 100'	Ocean Blue	FR	CG-2048SF	1/box
30 mil	36" x 100'	Ocean Blue	FR	CG-303610SF	1/box




MILITARY SWITCHBOARD MATTING

MILITARY SWITCHBOARD MATTING
MIL-DTL-15562G

MILITARY GRADE SURFACE & DECK PROTECTION

- **Type I Matting:** 1/8" thickness
Smooth marbled finish Blue, Green, Beige, Gray
- **Type II Matting:** 1/8" thickness
Smooth solid finish Blue, Green, Black
- **Type III Matting:** 3/16" thickness
Diamond embossed Gray, Green
- Mil-spec approved MIL-DTL-15562G
- Compliant with the US Department of Defense




PRODUCT BENEFITS

- Flame Retardant
- Abrasion resistant
- Electrically insulated matting
- Dielectric Test Voltage: 30,000 VAC
- Proof Test over entire surface: 15,000 VAC
- Recommended max use voltage: 3,000 VAC

APPLICATIONS

- U.S. Navy ship decks, surfaces, walkways
- High voltage areas & surfaces
- Electrical workbenches
- Sub-stations
- Transformers
- Portable runner mats



TYPE I

MATTING	COLOR	ROLL SIZE	MIL SPEC FLAME RETARDANT	ITEM NO.	PACKAGING
Type I	Blue	36" x 75 ft.	MIL-DTL-15562G, FR	TYPE-I-BLUE	1/bag, 6/pallet
Type I	Green	36" x 75 ft.	MIL-DTL-15562G, FR	TYPE-I-GREEN	1/bag, 6/pallet
Type I	Beige	36" x 75 ft.	MIL-DTL-15562G, FR	TYPE-I-BEIGE	1/bag, 6/pallet
Type I	Gray	36" x 75 ft.	MIL-DTL-15562G, FR	TYPE-I-GRAY	1/bag, 6/pallet

TYPE II

MATTING	COLOR	ROLL SIZE	MIL SPEC FLAME RETARDANT	ITEM NO.	PACKAGING
Type II	Blue	36" x 75 ft.	MIL-DTL-15562G, FR	TYPE-II-BLUE	1/bag, 6/pallet
Type II	Green	36" x 75 ft.	MIL-DTL-15562G, FR	TYPE-II-GREEN	1/bag, 6/pallet
Type II	Black	36" x 75 ft.	MIL-DTL-15562G, FR	TYPE-II-BLACK	1/bag, 6/pallet

TYPE III

MATTING	COLOR	ROLL SIZE	MIL SPEC FLAME RETARDANT	ITEM NO.	PACKAGING
Type III	Gray	36" x 75 ft.	MIL-DTL-15562G, FR	TYPE-III-GRAY	1/bag, 6/pallet
Type III	Green	36" x 75 ft.	MIL-DTL-15562G, FR	TYPE-III-GREEN	1/bag, 6/pallet



SOUND CURTAINS

SOUND CURTAIN
SC series

INDUSTRIAL GRADE NOISE BARRIER



- Made from quilted fiberglass noise absorbers
- **Outer shell:** 10 oz. PVC coated vinyl fabric
- **Inner padding:** Fiberglass insulation
- **Backing:** 1 lb. loaded vinyl membrane
- Edges are hemmed with brass grommets
- Velcro on matting edges is optional

PRODUCT BENEFITS

- Noise reduction & control
- Used for temporary or permanent applications
- Easy to install & remove
- Durable weather resistant panels
- Quality fabrication & stitching

APPLICATIONS

- Construction sites
- Business districts, residential areas
- Plants, refineries, fabrication yards
- Manufacturing facilities
- Temporary retaining walls
- Indoor & outdoor usage



TYPE	DESCRIPTION	PANEL WIDTH	COLOR	STOCK
BSC series	Barrier Septum Composite (Inside)	54" wide	Gray	Custom
BBC series	Barrier Backing Composite (Backside)	54" wide	Gray	Custom





POLY BURLAP CURING BLANKETS

POLY BURLAP CURING BLANKETS
PB series

“WET CURE” CONCRETE BLANKETS



- 5 mil white coated poly sheeting laminated onto 10 oz. burlap sheet
- 10' x 100' roll
- “Wet cure” is achieved by dampening the concrete surface then applying Poly Burlap
- Burlap faces down to absorb and retain moisture while the white reflective poly faces up reflecting heat and sunlight
- Burlap meets AASHTO M-171 and M-182
- Meets ASTM C156 and ASTM C171 for moisture retention

PRODUCT BENEFITS

- Quality lamination between the two fabrics
- Burlap is moisture absorbent material
- White poly reflects intense heat & sunlight
- Material is flexible & easy handle
- Meets DOT requirements for curing
- Reuseable & easy to store

APPLICATIONS

- Freshly poured concrete
- Interstates & highway projects
- Bridge & overpass projects
- Decks, slabs, concrete surfaces
- Retain walls & concrete columns
- Vertical concrete construction



ROLL SIZE	DESCRIPTION	AASHTO SPECIFICATION	ITEM NO.	PACKAGING
10' x 100'	5 mil poly, 10 oz. burlap	M-171	PB-10100	1/bag, 20/pallet





CONKURE BLANKETS

CONKURE BLANKETS
CB series

SYNTHETIC WET CURE BLANKETS

- Absorbent synthetic needle punched fabric coated with a white reflective film
- 9' x 250' roll
- White in color
- Unlike burlap, it will not rot or mildew
- Absorbent side faces down to absorb and retain moisture while the white reflective poly faces up reflecting heat and sunlight
- Meets and exceeds the moisture retention specification AASHTO M-171 and ASTM C-171

PRODUCT BENEFITS


- Quality lamination between the two fabrics
- Absorbent fabric retains the moisture
- White poly reflects intense heat/sunlights
- Material is flexible & easy to handle
- Meets DOT requirements for curing
- Reusable & easy to store

APPLICATIONS

- Freshly poured concrete
- Interstates & highway projects
- Bridge & overpass projects
- Decks, slabs, concrete surfaces
- Retain walls & concrete columns
- Vertical concrete construction



ROLL SIZE	DESCRIPTION	AASHTO SPECIFICATION	COLOR	STOCK
9' x 250'	Synthetic wet cure blanket	M-171	CB-09250	1/bag, 16/pallet





VAPOR BLOCK

VAPOR BLOCK
VB series

UNDERSLAB MOISTURE/GAS VAPOR BARRIER

- High performance underslab vapor barrier made from co-extruded polyolefin virgin resins
- 6 mil, 10 mil and 15 mil
- Blue in color
- Used to retard moisture mitigation from the soil layer up through the concrete surface slabs
- Meets and exceeds ASTM E-1745-11 regarding plastic used between soil and concrete slabs
- Reduces moisture condensation which leads to the growth of molds, mildews and fungi

PRODUCT BENEFITS

- Protects against moisture mitigation
- Protects against organisms in the soil
- Meets ASTM E-1745 for vapor retarder
- Virtually zero moisture vapor permeability
- Superior puncture & impact resistance
- Resistant to decay & degradation

APPLICATIONS

- Concrete underslabs & foundation barrier
- Radon barrier
- Gas & moisture barrier
- Commercial building developments
- Residential homes
- Commercial concrete construction



DESCRIPTION	ROLL SIZE	COLOR	ITEM NO.	PACKAGING
6 mil Vapor Block	15' x 200'	Blue	VB6-15200	1/bag, 25/pallet
10 mil Vapor Block	15' x 200'	Blue	VB10-15200	1/bag, 12/pallet
15 mil Vapor Block	12' x 200'	Blue	VB15-12200	1/bag, 12/pallet
Vapor Bond Tape	4" x 210'	White	VB-TAPE	12/case





WELDING FIRE BLANKETS

WELDING FIRE BLANKETS FB series

FIRE RETARDANT WELDING FABRIC

- 16.8 oz/sqyd silicone coated fiberglass
- 13 mil thickness
- Temperature rating of 1,000 °F
- Highly flame retardant and abrasion resistant
- Meets NFPA 51B and ANSI/FM 4950 for hot works
- Easy to handle and unroll




PRODUCT BENEFITS


- Protects from sparks and slag associated with welding and grinding
- Filament fiber base gives good flexibility, making it easy to drape and handle
- Reusable and easy to roll up for storage
- Composed of non-organic materials and will not produce hazardous out-gassing

APPLICATIONS

- Protection from metal shavings, slag and other high temperature waste materials
- Welding curtains or heat blankets
- Shipbuilding & marine construction
- Power plants, oil refineries, construction projects & fabrication yards

ROLL SIZE	WEIGHT	MIL THICKNESS	FLAME RETARDANT	ITEM NO.	PACKAGING
38" x 150'	16.8 oz.	13 mil	NFPA 51B	FB-38150	1/bag
60" x 150'	16.8 oz.	13 mil	NFPA 51B	FB-60150	1/bag





TOTAL CONTAINMENT SYSTEMS

TEPE SYSTEM 76 - 77
E-TRAX SYSTEM 78 - 79
CONTAINMENT ROOF BONNETS 80 - 81
CONTAINMENT FUNNELS 82 - 83



TEPE SYSTEM

TEPE SYSTEM
Totally Enclosed Painting Environment



BUY OR RENT

TOTALLY ENCLOSED PAINTING ENVIRONMENT (TEPE)



- Custom fabricated system for your project
- Designed to provide maximum containment for painting environments without the use of scaffolding or other structures
- TEPE System includes tarp, outriggers, cables, and hardware
- Tarp panels are made from nylon, polypropylene & various other fabrics
- Webbing and grommets on all seam and edges
- Outrigging poles are weldable to tanks
- Ground anchors are designed to tie down tarps

PRODUCT BENEFITS

- Totally enclosed and contained environment keeps containment away from structure and workers
- Easy to use and deploy on a moment's notice
- Proven solution for elevated water storage tanks
- Re-usable and long lasting
- Available for PURCHASE or RENTAL

APPLICATIONS


- Elevated water towers
- Negative pressure enclosures
- Industrial painting/coating projects
- Coatings removal projects
- Containment curtain systems
- Abatement control projects





E-TRAX SYSTEM

E-TRAX SYSTEM
Scaffolding and Rail Enclosure System



CLAMP



DOUBLE TRACK



SINGLE TRACK



SCAFFOLDING AND RAIL ENCLOSURE SYSTEM

- Aluminum supported enclosure system designed for maximum wind and weather protection
- Enclosure wrap made from polyethylene, polypropylene, vinyl and various other fabrics
- Works with any standard scaffold or cable supported structure
- Conforms to any structure with attachment points for scaffold clamps



PRODUCT BENEFITS

- Aluminum frames can withstand severe weather conditions and substantial winds
- Weather tight enclosure for harsh winters
- Save time & labor with ease of use & installation
- Durable & fully re-usable system, will last for years

APPLICATIONS

- Construction building enclosures
- Restoration & new construction
- Environmental containment
- Winter & weather protection
- Abatement remediation
- Scaffolding enclosure, temporary cover





CONTAINMENT ROOF BONNETS

CONTAINMENT ROOF BONNET
Custom Fabricated Tarp Covers



PRODUCT BENEFITS

- Contains dust, debris, overspray & waste
- Protect from wind & weather
- Quality custom fabrication & workmanship
- Gives full containment of any sphere structure
- Durable, re-usable & ease of installation


APPLICATIONS

- Elevated water tower
- Ground level storage tanks
- Clarifier & digester tanks
- Waste water treatment facilities
- Sphere structures inside plant & refineries


TOTAL CONTAINMENT ROOF COVERS

WATER TOWERS, STORAGE TANKS, RESERVOIRS, DIGESTER TANKS, CLARIFIERS

Radial Seams



Natural Seams



- Specialty made industrial grade roof enclosures for elevated tanks and ground level storage tanks
- Custom made to order
- Made in full, half or quarter sections to accommodate for size and handling of the bonnet itself
- Designed with natural seams or radial seams to a-line with your designed cabling system
- Webbing and grommets on all edges and internal seams
- Fabricated from various industrial tarp fabrics
- Flame Retardant available





CONTAINMENT FUNNELS

CONTAINMENT FUNNELS
Custom Fabricated Tarp Chutes



PRODUCT BENEFITS

- Collects airborne paint chips, overspray, blast media, hazardous debris & more
- Protects harmful or hazardous debris from entering the environment
- Can be simple in design or complexly engineered to fit the toughest of applications

APPLICATIONS

- Asbestos abatement projects
- Industrial painting/coating containment
- Sandblasting projects
- Bridges, water towers & storage tanks
- Plants & refineries



CUSTOM FABRICATED CONTAINMENT CHUTES

- Contain and dispose of environmentally sensitive waste and debris
- Collect and reuse existing materials such as blasting abrasives and grit
- Funnels can be made from high strength nylon, polypropylene or vinyl fabrics
- Built with webbing and grommets on all edges and internal seams
- Custom made to order to fit your project
- Flame Retardant Funnels available





INDUSTRIAL EQUIPMENT

DECON SHOWER FACILITIES	86 – 87
DUST COLLECTORS	88 – 89
BLACK MAX FANS	90 – 91
DUCTING	92
DUST SOCKS	93
NEGATIVE AIR UNITS	94 – 95



MOBILE DECON SHOWER FACILITIES


DECON SHOWER FACILITIES 2-Shower, 4-Shower



BUY OR RENT


2-SHOWER DECON UNIT

8' x 16' TRAILER



4-SHOWER DECON UNIT

8' x 24' TRAILER



2-SHOWER DECON UNIT	4-SHOWER DECON UNIT
8' x 16' trailer unit	8' x 24' trailer unit
(2) shower stalls	(4) shower stalls
5,000 lb. tongue jack	10,000 lb. tongue jack
5,200 lb. tandem axle with electric breaks	6,000 lb. tandem axle with electric breaks
Dual Lead and Asbestos filtration system	Dual Lead and Asbestos filtration system
LFS-10 Lead filtration system	LFS-10 Lead filtration system
(1) 80 gallon holding tank under trailer	(1) 80 gallon holding tank under trailer
(1) 40 gallon electric water heater	(1) 65 gallon electric water heater
(1) exterior handwash station	(1) exterior handwash station
(1) HEPA negative air unit 700 CFM	(1) HEPA negative air unit 700 CFM
(1) roof mounted A/C unit	(1) roof mounted A/C unit
A/C - 13,600 BTU with 5,600 BTU heat strip	A/C - 13,600 BTU with 5,600 BTU heat strip
(1) electrical wall heater, 1,500 watt	(1) electrical wall heater, 1,500 watt
(6) personnel lockers, 12" x 18" 36"	(12) personnel lockers, 12" x 18" 36"
Breaker unit 100 amp, 240v/120v	Breaker unit 100 amp, 240v/120v
FMVSS compliant running lights	FMVSS compliant running lights
Electric washer & dryer hook ups	Electric washer & dryer hook ups
Roof mounted air intake	Roof mounted air intake
No-Leak aluminum roof construction	No-Leak aluminum roof construction
A-PEX plumbing system	A-PEX plumbing system
HD steel folding steps and handrails	HD steel folding steps and handrails

- On site decontamination of lead or asbestos for worker personnel
- OSHA compliant for lead removal, OSHA 29 CFR 1926.62
- Tandem axel trailer, DOT approved
- Quality equipment fabrication and workmanship



STORAGE LOCKERS



INDIVIDUAL SHOWER STALLS



AIR CONDITION UNIT WITH HEAT STRIP



EXTERIOR HANDWASH STATION



MICRON & LEAD FILTRATION SYSTEM



WALL MOUNTED NEGATIVE AIR UNIT



MOBILE DUST COLLECTORS

DUST COLLECTOR UNITS
DC6, DC12, DC20, DC40



BUY OR RENT

6,000 CFM



12,000 CFM



20,000 CFM



40,000 CFM



HIGH POWERED DUST COLLECTION EQUIPMENT

- **Engines:** Diesel Powered, Electric Powered, & Bi-powered
- High volume air flow designs
- 99.8% efficiency at 0.5 micron pleated filters
- Multiple duct ports for maximum efficiency
- High-powered waste disposing auger
- Standard or HEPA approved filtration
- DOT approved trailer
- Mobile trailer or skid mount options
- Eagle dust collector ducting also available (pg. 90)

UNIT	ENGINE	AIR INLETS	FILTRATION	FILTRATION MEDIA	DIMENSIONS (HxWxL)	WEIGHT	ITEM NO.
6,000 CFM	Isuzu 3CE1 - 1.5L	(2) 16" duct ports	9 top loading cartridges	2,340 sq. ft.	9' x 8' x 16'	4,200 lbs.	DC-06
12,000 CFM	Isuzu 4LE1 - 2.2L / 55 HP	(4) 16" duct ports	18 top loading cartridges	4,680 sq. ft.	9'8" x 8' x 22'	8,000 lbs.	DC-12
20,000 CFM	John Deere 4045 - 4.5L / 74 HP	(4) 20" duct ports	27 top loading cartridges	7,020 sq. ft.	9'8" x 8' x 28'	13,000 lbs.	DC-20
40,000 CFM	John Deere 6068 - 6.8L / 135 HP	(6) 20" duct ports	60 top loading cartridges	15,600 sq. ft.	11'10" x 8' x 32'	20,000 lbs.	DC-40



BLACK MAX FANS

BLACK MAX FANS
BMF series



INDUSTRIAL VENTILATION FANS

- **Motors:** Standard Electric (TEAO)
Hazardous Proof Electric (EXPL)
Pneumatic (AIR)
- **Blade Size:** 12", 16", 20", 24"
- Heavy-duty steel frame construction
- Forged spiral cast aluminum blades
- Adaptable for dust socks and ducting
- High-powered auger for disposing waste
- High volume air flow design

PRODUCT BENEFITS

- Various CFM options available
- Used in confined space areas
- Used during containment projects
- Used as a positive pressure air ventilator
- Used in the coatings & sandblasting industry
- Handles easily for carrying and portability

ACCESSORIES

- **Eagle Ducting** (pg. 90)
12", 16", 20", 24" diameter
25 ft. lengths
- **Eagle Dust Socks** (pg. 91)
Cotton sateen dust sock containment
- **Eagle Clamps & Adapters** (pg. 96)
Used to attach ducting and dust socks



BLADE SIZE	MOTOR	ITEM #	H.P.	AMPS	POWER	FRAME CONSTRUCTION (HxWxD)	WT.	SHROUD <C.F.M.>	VENTURI <C.F.M.>
12"	TEAO	BMF-12T	1/2	6.5	115v	15.5" x 15" x 13"	40 lbs	2750	3700
12"	EXPL	BMF-12X	1/2	6.5	115v	15.5" x 15" x 13"	42 lbs	2750	3700
12"	PNEU	BMF-12P	60 CFM		AIR	19.25" x 18.75" x 13"	41 lbs	3200	5200
16"	TEAO	BMF-16T	1/3	5.8	115v / 230v	19.25" x 18.75" x 13"	44 lbs	3200	5200
16"	EXPL	BMF-16X	1/3	5.8	115v / 230v	19.25" x 18.75" x 13"	49 lbs	3200	5200
16"	PNEU	BMF-16P	70 CFM		AIR	25" x 18.75" x 13"	45 lbs	4800	6800
20"	TEAO	BMF-20T	1	14	115v / 230v	25.5" x 24.75" x 16.25"	85 lbs	6700	9500
20"	EXPL	BMF-20X	1	12	115v / 230v	25.5" x 24.75" x 16.25"	93 lbs	6700	9500
20"	PNEU	BMF-20P	75 CFM		AIR	30" x 24.75" x 16.25"	60 lbs	6900	9800
24"	TEAO	BMF-24T	1.5	18	115v / 230v	28" x 28" x 18.75"	110 lbs	8600	10,800
24"	EXPL	BMF-24X	1.5	20	115v / 230v	28" x 28" x 18.75"	115 lbs	8600	10,800
24"	PNEU	BMF-24P	175 CFM		AIR	33" x 28" x 18.75"	105 lbs	10,000	14,200

TEAO - Totally Enclosed Air Over Motor (Electric) • EXPL - Explosion Proof Motor Frame Construction (Hazardous Use) • PNEU - Pneumatic Powered (Air)



DUCTING

DUC series

DUST SOCKS

DUS series

DUST COLLECTOR DUCTING



VENTILATION DUCTING



PVC VINYL HOSE DUCTING

- **Dust Collector Ducting**
- Negative pressure hose
- **Ventilation Ducting**
- Positive pressure hose
- Reinforced PVC coated polyester vinyl hose
- Spring reinforced steel-wire spiral helix
- External PVC wear-strip for added durability
- **Diameters:** 12", 16", 18", 20", 24"
Lengths: 25 ft.
- Layflat clear poly ducting also available

DUST COLLECTION & AIR FILTRATION



- Made from 100% cotton sateen or non-woven polypropylene
- Includes zipper access for easy cleaning
- Slightly breathable for air filtration
- High volume air flow design
- Tapered neck for easy attachments
- Designed to fit all Eagle Black Max Fans





NEGATIVE AIR UNITS

PORTABLE HEPA AIR FILTRATION
Noviar & UltraClean

NOVAIR 1000

- **Construction:** Rugged polyurethane shell
- **Weight:** 81 lbs
- **Dimensions:** 20" x 23" x 40"
- **Motor:** 3/4-Horse power motor, 2-speed control
- **Air Flow:** 1000 cfm (high speed)
500 cfm (low speed)
- **Power Supply:** 115 volt, 5 amp, 60 Hz
- **HEPA Filter:** 16" x 16" standard



ULTRACLEAN 700

- **Construction:** Rust resistant aluminum shell
- **Weight:** 67 lbs
- **Dimensions:** 33" x 18" x 18"
- **Motor:** 1/4-Horse power motor, 2-speed control
- **Air Flow:** 700 cfm (high speed)
400 cfm (low speed)
- **Power Supply:** 115 volt, 3.3 amp, 60 Hz
- **HEPA Filter:** 12" x 12" standard



NOVAIR 2000

- **Construction:** Rugged polyurethane shell
- **Weight:** 135 lbs
- **Dimensions:** 37" x 26" x 31"
- **Motor:** 2-Horse power motor, 2-speed control
- **Air Flow:** 2000 cfm (high speed)
1200 cfm (low speed)
- **Power Supply:** 115 volt, 5 amp, 60 Hz
- **HEPA Filter:** 24" x 24" standard



ULTRACLEAN 2000

- **Construction:** Rust resistant aluminum shell
- **Weight:** 160 lbs
- **Dimensions:** 37.75" x 26.5" x 31.25"
- **Motor:** 1.75-Horse power motor, 2-speed control
- **Air Flow:** 1975 cfm (high speed)
1000 cfm (low speed)
- **Power Supply:** 115 volt, 20 amp, 60 Hz
- **HEPA Filter:** 24" x 24" standard





HARDWARE & ACCESSORIES

HARDWARE & ACCESSORIES
used for product applications

CABLE TIES

Black and White
11" inches • 14" inches
100/bag • 1,000/case

BUNGEE TIES

12" inches
100/bag • 1,000/case

HEAVY DUTY STRAPPING

3/4" HD Strapping

FR HEAVY DUTY STRAPPING

3/4" Flame Retardant HD Strapping

SCAFFOLD WIND CLIPS

Black
11" inches
100/bag

SCREW-LOC CONNECTORS

1" White
500/bag

SHRINK WRAP GUN

212,000 BTU Gun
25' Propane Hose • Regulator

SHRINK WRAP TORCH

500,000 BTU Torch
25' Propane Hose • Regulator

WHITE POLY TAPE

2" x 180' • 4" x 180' • 6" x 180'

DOUBLE SIDED TAPE

2" x 75'

ZIPPER ACCESS DOORS

54" x 72" • 60" x 72" FR

MAGNET BARS

1 ft. • 2 ft. • 4 ft. • 6 ft.

COVER GUARD TAPE

Blue
3' x 165'

ADHESIVE SPRAY GLUE






Heavy Duty

ROPE & CORDAGE

Various Types and Sizes Available

STEEL SNAP CLIPS

5/16" • 3/8" • 7/16" • 1/2"



CONTAINMENT TARPS



SANDBLAST SCREENS



DEBRIS NETTING



SCAFFOLDING ENCLOSURES



SHRINK WRAP CONTAINMENT

REINFORCED POLY

EQUIPMENT & SUPPLIES

**EAGLE
INDUSTRIES**
JOBSITE PRODUCTS

5531 River Road, New Orleans, LA 70123
1.800.266.8246 www.eagleind.com