

# EAGLE INDUSTRIES

JOBSITE PRODUCTS

DEBRIS NETTING



SAFETY NETTING



FLAME RETARDANT TARPS

SCAFFOLDING ENCLOSURES



REINFORCED POLY SHEETING

MESH TARPS

SHRINK WRAP CONTAINMENT

CONSTRUCTION PRODUCTS







**NEW ORLEANS, LA**

5531 River Road  
New Orleans, LA 70123

**BALTIMORE, MD**

1328 Charwood Road  
Hanover, MD 21076

**BOSTON, MA**

31 Plymouth Street  
Mansfield, MA 02048

**LOS ANGELES, CA**

20500 Fordyce Avenue  
Carson, CA 90220

**PORTLAND, OR**

8830 Northeast Alderwood Road  
Portland, OR 97220

**SAN FRANCISCO, CA**

21062 Forbes Avenue  
Hayward, CA 94545

**CORPORATE  
HEADQUARTERS**

EAGLE INDUSTRIES  
5531 River Road  
New Orleans, LA 70123

Toll Free: 800-266-8246  
Office: 504-733-3510  
Fax: 504-733-3552

sales@eagleind.com

**SAN DIEGO, CA**

7411 Goen Place  
San Diego, CA 92120

**NORFOLK, VA**

814 Greenbrier Circle Suite C  
Chesapeake, VA 23320

**CANADA DISTRIBUTOR**

*Enscaf Corp.*

**TORONTO, ON**

210 Cochrane Drive Unit 8  
Markham, ON L3R 8E6

*Enscaf Corp.*

**EDMONTON, AB**

11010 178 Street Northwest  
Edmonton, AB T5S 1R7

**Debris & Safety Netting**

Debris Netting	6 - 7
Safety Debris Netting	8 - 9
PVC Coated Debris Netting	10 - 11
Privacy Fence Netting	12 - 13
Personnel Safety Nets	14 - 15
Heavy Debris Containment Nets	16 - 17
Custom Printed Mesh	18
Sewn Logos on Netting	19

**Poly Sheeting**

String Reinforced Poly	22 - 23
Woven Reinforced Poly	24 - 25
Scaf-Lite™ Scaffold Sheeting 6 MIL	26 - 27
Scaf-Lite™ Scaffold Sheeting 12 MIL	28 - 29
Shrink Wrap Containment	30 - 31

**Construction Tarps**

FR Economy Poly Tarps	34
FR Heavy Duty Poly Tarps	35
FR Extreme Poly Tarps	36
FR Ultra Extreme Poly Tarps	37
Mesh Tarps	38 - 39
Mesh Screens	40 - 41
White Nylon Tarps	42 - 43
Snow Tarps	44 - 45

**Containment Tarps & Covers**

Coated Airbag Tarps	48 - 49
Coated Ripstop Tarps	50 - 51
Coated Geotarps	52 - 53
Geoscreens	54 - 55
Vinyl Tarps	56 - 57
Durashield Tarps	58 - 59
Canvas Tarps	60 - 61

**Specialty Products**

Poly Burlap Curing Blankets	64 - 65
Conkure Blankets	66 - 67
Cover Guard Surface Protection	68 - 69
Military Switchboard Matting	70 - 71
Sound Curtains	72 - 73
FR Welding Blankets	74 - 75

**Total Containment Systems**

TEPE System	78 - 79
E-trax System	80 - 81
Containment Roof Bonnets	82 - 83
Containment Funnels	84 - 85

**Jobsite Ventilation**


Black Max Fans	88 - 89
Ventilation Ducting	90
Dust Sock Containment	91

**Other**

Accessories & Hardware	92 - 94
Notes	95







# DEBRIS NETTING

<b>DEBRIS NETTING</b>	<b>..... 6 - 7</b>
<b>SAFETY DEBRIS NETTING</b>	<b>..... 8 - 9</b>
<b>PVC COATED DEBRIS NETTING</b>	<b>..... 10 - 11</b>
<b>PRIVACY FENCE NETTING</b>	<b>..... 12 - 13</b>
<b>PERSONNEL SAFETY NETS</b>	<b>..... 14 - 15</b>
<b>HEAVY DEBRIS CONTAINMENT NETS</b>	<b>.. 16 - 17</b>
<b>CUSTOM PRINTED MESH</b>	<b>..... 18</b>
<b>SEWN LOGOS ON NETTING</b>	<b>..... 19</b>






# DEBRIS NETTING

**DEBRIS NETTING**  
DN series



## DEBRIS & SAFETY PROTECTION

- High strength knitted polyethylene mesh (HDPE)
- 1/16" hole openings
- Edges include reinforced eyelet button holes for fastening to scaffolding or cables
- Tear resistant, will not unravel when cut
- UV treated
- Flame Retardant netting meets NFPA 701 Test Method II




**BLACK**



**WHITE**



**GREEN**



**BLUE**




**TAN**



## PRODUCT BENEFITS

- Protects dust, debris & tools from falling
- Protects pedestrians & adjacent properties
- Creates a scaffolding enclosure
- Creates a wind block or shade cloth
- Provides a visual barrier for added privacy
- Tear resistant, will not unravel when cut



## APPLICATIONS

- Scaffolding enclosure
- Construction building enclosure
- Demolition containment
- Temporary guardrail protection
- Restoration projects
- Special events, sporting events

ROLL SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PALLET QUANTITY
4' x 150'	Black	FR	DN50-04150-BLK-FR	50 rolls
4' x 150'	Blue	FR	DN50-04150-BLU-FR	50 rolls
8' x 150'	Black	Non-FR	DN50-08150-BLK	24 rolls
8' x 150'	Black	FR	DN50-08150-BLK-FR	24 rolls
8'6" x 150'	Black	FR	DN50-86150-BLK-FR	24 rolls
8'6" x 150'	White	FR	DN50-86150-WHT-FR	24 rolls
10' x 150'	Black	Non-FR	DN50-10150-BLK	24 rolls
10' x 150'	Black	FR	DN50-10150-BLK-FR	24 rolls
10' x 150'	Blue	FR	DN50-10150-BLU-FR	24 rolls
10' x 150'	Tan	FR	DN50-10150-TAN-FR	24 rolls
10' x 150'	Green	FR	DN50-10150-GRN-FR	24 rolls
10' x 150'	White	Non-FR	DN50-10150-WHT	24 rolls
10' x 150'	White	FR	DN50-10150-WHT-FR	24 rolls
12' x 150'	Black	Non-FR	DN50-12150-BLK	20 rolls
12' x 150'	Black	FR	DN50-12150-BLK-FR	20 rolls
12' x 150'	White	FR	DN50-12150-WHT-FR	20 rolls
12' x 300'	Black	FR	DN50-12300-BLK-FR	9 rolls
15' x 150'	Black	FR	DN50-15150-BLK-FR	12 rolls
20' x 200'	Black	FR	DN50-20200-BLK-FR	6 rolls






# SAFETY DEBRIS NETTING

## SAFETY DEBRIS NETTING SN series

### SAFETY & DEBRIS PROTECTION



- High strength knitted polyethylene mesh (HDPE)
- 1/4" hole openings
- Edges include reinforced hems for fastening the net to scaffolding or cables
- Tear resistant, will not unravel when cut
- UV treated
- Flame Retardant netting meets NFPA 701 Test Method II



### PRODUCT BENEFITS

- Protects dust, debris & tools from falling
- Protect pedestrians & adjacent properties
- Creates a temporary guardrail
- Provides a visual safety barrier
- Helps contain small tools, fasteners & debris
- Tear resistant, will not unravel when cut



### APPLICATIONS

- Guardrail debris protection
- Scaffolding enclosure
- Construction building enclosure
- Industrial plant & refinery maintenance
- Demolition containment
- Safety fence, barrier net, snow fence

ROLL SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PALLET QUANTITY
2' x 150'	Blue	FR	SN-02150-BLU-FR	100 rolls
2' x 150'	Orange	FR	SN-02150-ORG-FR	100 rolls
4' x 150'	Black	FR	SN-04150-BLK-FR	50 rolls
4' x 150'	Blue	FR	SN-04150-BLU-FR	50 rolls
4' x 150'	Orange	FR	SN-04150-ORG-FR	50 rolls
4' x 150'	Green	FR	SN-04150-GRN-FR	50 rolls
4' x 150'	Red	FR	SN-04150-RED-FR	50 rolls
4' x 150'	Red, White, Blue	FR	SN-04150-RWB-FR	50 rolls
4' x 150'	Yellow	FR	SN-04150-YEL-FR	50 rolls
5'6" x 150'	Blue	FR	SN-56150-BLU-FR	50 rolls
5'6" x 150'	Orange	FR	SN-56150-ORG-FR	50 rolls
8'6" x 150'	Black	FR	SN-86150-BLK-FR	24 rolls
8'6" x 150'	Blue	FR	SN-86150-BLU-FR	24 rolls
8'6" x 150'	Orange	FR	SN-86150-ORG-FR	24 rolls
10'6" x 150'	Blue	FR	SN-106150-BLU-FR	24 rolls
10'6" x 150'	Orange	FR	SN-106150-ORG-FR	24 rolls
10'6" x 150'	Yellow	FR	SN-106150-YEL-FR	24 rolls
12' x 150'	Black	FR	SN-12150-BLK-FR	24 rolls
12' x 150'	Blue	FR	SN-12150-BLU-FR	24 rolls
12' x 150'	Orange	FR	SN-12150-ORG-FR	24 rolls
15' x 150'	Blue	FR	SN-15150-BLU-FR	20 rolls





# PVC COATED DEBRIS NETTING

## PVC COATED DEBRIS NETTING VN series

### HEAVY DUTY SAFETY & DEBRIS PROTECTION


- High strength PVC coated vinyl mesh
- 1/8" hole openings
- Bright orange color for safety barrier
- Reinforced edges for fastening debris net to scaffolding or cables
- Highly tear resistant, will not unravel when cut
- UV treated
- Flame Retardant netting meets NFPA 701 Test Method II

### PRODUCT BENEFITS

- Protects dust, debris & tools from falling
- Protect pedestrians & adjacent properties
- Creates a temporary guardrail
- Provides a visual safety barrier
- Helps contain small tools, fasteners & debris
- Tear resistant, will not unravel when cut

### APPLICATIONS

- Guardrail debris protection
- Scaffolding enclosure
- Construction building enclosure
- Industrial plant & refinery maintenance
- Demolition containment
- Safety fence, barrier net, snow fence



ROLL SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PALLET QUANTITY
4' x 150'	Bright Orange	FR	VN-04150-ORG-FR	50 rolls
5'6" x 150'	Bright Orange	FR	VN-56150-ORG-FR	50 rolls







# PRIVACY FENCE NETTING

**PRIVACY FENCE NETTING**  
PF series

## FENCE SCREEN PROTECTION



- High strength knitted polyethylene mesh (HDPE)
- 90% shade mesh
- **Roll Goods:** edges include reinforced eyelet button holes for fastening to fencing
- **Folded Panels:** edges include webbing and grommets for fastening to fencing
- Custom logos and banners are available



GREEN



BLACK



BLUE



TAN



## PRODUCT BENEFITS

- Provides a visual barrier for privacy
- Protect dust & debris on the jobsite
- Creates a wind block
- Creates crowd control for events
- Tear resistant, will not unravel when cut
- Will not get brittle or crack in harsh environments



WEBBING & GROMMETS



## APPLICATIONS

- Construction jobsite fencing
- Demolition jobsites
- Special events & sporting events
- Concerts & stage netting
- Private property fencing
- Scaffolding enclosure



Rolls with Button Holes

ROLL SIZE	COLOR	EDGES	ITEM NO.	PALLET QUANTITY
5'8" x 150'	Black	Button holes	PF-58150-BLK	30 rolls
5'8" x 150'	Blue	Button holes	PF-58150-BLU	30 rolls
5'8" x 150'	Tan	Button holes	PF-58150-TAN	30 rolls
5'8" x 150'	Green	Button holes	PF-58150-GRN	30 rolls
7'8" x 150'	Black	Button holes	PF-78150-BLK	20 rolls
7'8" x 150'	Blue	Button holes	PF-78150-BLU	20 rolls
7'8" x 150'	Tan	Button holes	PF-78150-TAN	20 rolls
7'8" x 150'	Green	Button holes	PF-78150-GRN	20 rolls
10' x 150'	Black	Button holes	PF-10150-BLK	20 rolls
10' x 150'	Tan	Button holes	PF-10150-TAN	20 rolls
10' x 150'	Green	Button holes	PF-10150-GRN	20 rolls

Folded Panels with Webbing & Grommets

PANEL SIZE	COLOR	EDGES	ITEM NO.	BALE QUANTITY
5'8" x 150'	Black	Web & grommets	PFG-58150-BLK	1 per bale
5'8" x 150'	Green	Web & grommets	PFG-58150-GRN	1 per bale
5'8" x 50'	Green	Web & grommets	PFG-5850-GRN	6 per bale
7'8" x 50'	Green	Web & grommets	PFG-7850-GRN	6 per bale





# PERSONNEL SAFETY NETS


## PERSONNEL SAFETY NETS PSN series

### FALL PROTECTION SAFETY NET

- Made from high tenacity knotted nylon net
- 3.5" diamond base net
- 70% debris net liners are optional
- Hooks are staggered every 4 feet on perimeter
- Tested & approved up 17,500 lbs.
- Meets ANSI safety net standard A10.11-1989



BASE NET



1/16" DEBRIS MESH LINER

### PRODUCT BENEFITS

- Protects workers from fall protection
- Protects dust, debris & tools from falling
- Protects pedestrians & adjacent properties
- Provides leading edge protection
- Hooks are included with each safety net
- All safety nets are tested and approved

### APPLICATIONS

- New construction & demolition
- Leading edge safety protection
- Bridge maintenance & construction
- Plant & refinery maintenance
- Tunnels & overpasses



NET SIZE	COLOR	DEBRIS NET LINER	ITEM NO.	PACKAGING
Custom net	Black	70% mesh, optional	PSN-0000	1 each
10' x 20'	Black	70% mesh, optional	PSN-1020	1 each
15' x 15'	Black	70% mesh, optional	PSN-1515	1 each
15' x 20'	Black	70% mesh, optional	PSN-1520	1 each
15' x 25'	Black	70% mesh, optional	PSN-1525	1 each
15' x 30'	Black	70% mesh, optional	PSN-1530	1 each
15' x 40'	Black	70% mesh, optional	PSN-1540	1 each
17' x 24' x 17'	Black	70% mesh, optional	PSN-172417	1 each
20' x 20'	Black	70% mesh, optional	PSN-2020	1 each
20' x 25'	Black	70% mesh, optional	PSN-2025	1 each
20' x 30'	Black	70% mesh, optional	PSN-2030	1 each
20' x 40'	Black	70% mesh, optional	PSN-2040	1 each
25' x 25'	Black	70% mesh, optional	PSN-2525	1 each
25' x 50'	Black	70% mesh, optional	PSN-2550	1 each
30' x 40'	Black	70% mesh, optional	PSN-3040	1 each






# HEAVY DEBRIS CONTAINMENT NETS


HEAVY DEBRIS CONTAINMENT NETS  
HDN series

## CONSTRUCTION & DEMOLITION DEBRIS CONTAINMENT

- Made from high tenacity knotless polypropylene
- Base net: 2" and 2.5" square nets
- Debris net liner: 3/8" or 1/16" options
- Options: 2,000 lb., 5,000 lb., 10,000 lb. rating
- Perimeter edges include webbing & grommets
- Meets ANSI A10.37 for debris containment



1/16" DEBRIS MESH LINER



3/8" DNR LINER

## PRODUCT BENEFITS

- Meets OSHA regulations for debris protection
- Extra UV inhibitors for added life expectancy
- Protects small & chunk debris from falling
- Protects tools from falling
- Protects pedestrians & adjacent properties
- All nets are tested and approved

## APPLICATIONS

- New building construction
- Leading edge safety protection
- Demolition debris containment
- Bridge maintenance & construction
- Tunnels & overpasses
- Industrial plant & refinery maintenance



NET RATING	COLOR	BASE NET	LINER	ITEM NO.	PACKAGING
2,000 lb.	Black, Gray, Tan	2" net	3/8" or 1/16"	HDN-2000	1 each
5,000 lb.	Black, Gray, Tan	2.5" net	3/8" or 1/16"	HDN-5000	1 each
10,000 lb.	Black, Gray, Tan	2.5" net	3/8" or 1/16"	HDN-10000	1 each

Flame Retardant nets available & made to order.







# CUSTOM PRINTED MESH

PM series

# SEWN LOGOS ON NETTING

PM series

## BANNERS, FENCE SCREEN & BUILDING ENCLOSURES




- Printed high strength PVC vinyl mesh banners
- Custom Hi-Resolution full color logo printing
- PM70 = 7 oz. mesh, 70% shade
- PM90 = 9 oz. mesh, 90% shade
- Heat sealed edges and grommets
- Unlimited full color logo & image designs
- High UV protection
- PVC mesh is Flame Retardant



## PRIVACY & DEBRIS NETTING WITH LOGOS



- Custom logo banners printed and sewn on your choice of netting
- Variety of netting colors and sizes
- PM70 = 7 oz. mesh, 70% shade
- PM90 = 9 oz. mesh, 90% shade
- Printed high strength PVC vinyl mesh
- Unlimited full color logo & image designs
- High UV protection







# POLY SHEETING

<b>STRING REINFORCED POLY</b>	<b>..... 22 – 23</b>
<b>WOVEN REINFORCED POLY</b>	<b>..... 24 – 25</b>
<b>SCAF-LITE™ SCAFFOLD SHEETING 6 MIL</b>	<b>... 26 – 27</b>
<b>SCAF-LITE™ SCAFFOLD SHEETING 12 MIL</b>	<b>.. 28 – 29</b>
<b>SHRINK WRAP CONTAINMENT</b>	<b>..... 30 – 31</b>





# STRING REINFORCED POLY

**STRING REINFORCED POLY**  
SP series | DS series

## TEMPORARY POLY ENCLOSURE

- High strength polyethylene film built with a laminate scrim reinforcement
- 6 mil and 10 mil thickness
- Tear resistant scrim
- Weather, mold and mildew resistant sheeting
- Flame Retardant poly meets NFPA 701 Test Method II



**SQUARE**



**DIAMOND**



## PRODUCT BENEFITS

- Provides a containment for dust & debris
- Creates a temporary weather enclosure
- Increases temporary heating efficiencies
- Flexible, easy to handle, easy to install
- Handles well in low temperatures
- Allows sunlight to transmit through



**SP6 & SP10**  
**DURABLE CENTER SEAM**  
**REINFORCEMENT**



## APPLICATIONS

- General building construction
- Scaffolding enclosure
- Abatement & remediation
- Winter & weather enclosure
- Environmental containment
- Temporary walls & ground cover



*Square String Reinforced Poly*

ROLL SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PALLET QUANTITY
6 mil 20' x 100'	Clear Translucent	Non-FR	SP6-20100	24 rolls
6 mil 20' x 100'	Off White Opaque	FR	SP6-20100-FR	24 rolls
6 mil 40' x 100'	Clear Translucent	Non-FR	SP6-40100	12 rolls
6 mil 40' x 100'	Off White Opaque	FR	SP6-40100-FR	12 rolls
10 mil 20' x 100'	Clear Translucent	Non-FR	SP10-20100	15 rolls
10 mil 20' x 100'	Off White Opaque	FR	SP10-20100-FR	15 rolls

*Diamond String Reinforced Poly*

ROLL SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PALLET QUANTITY
6 mil 20' x 100'	Clear Translucent	Non-FR	DS6-20100	30 rolls
6 mil 20' x 100'	Off White Opaque	FR	DS6-20100-FR	30 rolls
6 mil 40' x 100'	Clear Translucent	Non-FR	DS6-40100	12 rolls
6 mil 40' x 100'	Off White Opaque	FR	DS6-40100-FR	12 rolls
10 mil 20' x 100'	Clear Translucent	Non-FR	DS10HUV-20100	16 rolls
10 mil 20' x 100'	Off White Opaque	FR	DS10HUV-20100-FR	16 rolls





# WOVEN REINFORCED POLY

**WOVEN REINFORCED POLY**  
WP series

## TEMPORARY POLY ENCLOSURE

- High strength woven coated reinforced polyethylene sheeting
- 7x7 square inch weave pattern
- 5 mil thickness
- Tear resistant, rip resistant
- Weather, mold and mildew resistant sheeting
- Flame Retardant poly meets NFPA 701 Test Method II



**FR**



**Non-FR**



## PRODUCT BENEFITS

- Provides a containment for dust & debris
- Creates a temporary weather enclosure
- Increases temporary heating efficiencies
- Flexible, easy to handle, easy to install
- Handles well in low temperatures
- Allows sunlight to transmit through

## APPLICATIONS

- General building construction
- Scaffolding enclosure
- Abatement & remediation
- Winter & weather enclosure
- Environmental containment
- Temporary walls & ground cover



ROLL SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PALLET QUANTITY
20' x 100'	Translucent	Non-FR	WP7-20100	40 rolls
20' x 100'	White	FR	WP7-20100-FR	40 rolls
40' x 100'	Translucent	Non-FR	WP7-40100	15 rolls
40' x 100'	White	FR	WP7-40100-FR	15 rolls







# SCAF-LITE™ SCAFFOLD SHEETING

6 MIL

## SCAF-LITE™ SCAFFOLD SHEETING

SL series

### PREMIUM SCAFFOLDING ENCLOSURE

- High strength string reinforced polyethylene sheeting built with reinforced eyelet bands
- White reinforced eyelet bands for fastening bungee ties
- 6 mil medium duty sheeting
- Tear resistant, weather resistant and UV treated
- Flame Retardant sheeting meets NFPA 701 Test Method II



6 mil FR



6 mil Non-FR



Scaf-Lite™ Installation System



### PRODUCT BENEFITS

- Provides an enclosure to protect from weather
- Provides a containment for dust & debris
- Increases temporary heating efficiencies
- Easy to install with Eagle bungee ties
- Handles well in low temperatures
- Allows sunlight to transmit through



### APPLICATIONS

- Scaffolding enclosure
- Temporary heating enclosure
- Restoration & new construction
- Winter & weather protection
- Environmental containment
- Industrial coatings containment

6 Mil Scaffold Sheeting

ROLL SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PALLET QUANTITY
6 mil 20' x 100'	Clear Translucent	Non-FR	SL6-20100	20 rolls
6 mil 20' x 100'	White Opaque	FR	SL6-20100-FR	20 rolls

Scaffold Sheeting accessories

ACCESSORIES	SIZE	ITEM NO.	CASE QUANTITY
Elastic Bungee Ties	12" Bungee Tie	A-BUNGEE	1,000 per case
2" Poly Seam Tape 7.5 mil	2" x 180' White	A-TAPE2	24 per case
4" Poly Seam Tape 7.5 mil	4" x 180' White	A-TAPE4	12 per case
6" Poly Seam Tape 7.5 mil	6" x 180' White	A-TAPE6	8 per case
4" Poly Seam Tape 9 mil PREMIUM	4" x 180' White	A-TAPE4-P9	12 per case
6" Poly Seam Tape 9 mil PREMIUM	6" x 180' White	A-TAPE6-P9	8 per case
Screw Lock Connector	1" Diameter	A-SCREWLOCK	500 per case
Zipper Door Heavy Duty 20 mil	54" x 72" Clear Vinyl	A-ZIP5472	1 each







# SCAF-LITE™ SCAFFOLD SHEETING

12 MIL

## SCAF-LITE™ SCAFFOLD SHEETING

SL series

### PREMIUM SCAFFOLDING ENCLOSURE

- High strength string reinforced polyethylene sheeting built with reinforced eyelet bands
- Blue reinforced eyelet bands for fastening bungee ties
- 12 mil heavy duty sheeting
- Tear resistant, weather resistant and UV treated
- Flame Retardant sheeting meets NFPA 701 Test Method II



12 mil FR



12 mil Non-FR



Scaf-Lite™ Installation System



### PRODUCT BENEFITS

- Provides an enclosure to protect from weather
- Provides a containment for dust & debris
- Increases temporary heating efficiencies
- Easy to install with Eagle bungee ties
- Handles well in low temperatures
- Allows sunlight to transmit through



### APPLICATIONS

- Scaffolding enclosure
- Temporary heating enclosure
- Restoration & new construction
- Winter & weather protection
- Environmental containment
- Industrial coatings containment

12 Mil Scaffold Sheeting

ROLL SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PALLET QUANTITY
12 mil 7'4" x 136'	Clear Translucent	Non-FR	SL12-74136	25 rolls
12 mil 7'4" x 136'	White Opaque	FR	SL12-74136-FR	25 rolls
12 mil 8'6" x 100'	White Opaque	FR	SL12-86100-FR	25 rolls
12 mil 13' x 100'	Clear Translucent	Non-FR	SL12-13100	25 rolls
12 mil 13' x 100'	White Opaque	FR	SL12-13100-FR	25 rolls
12 mil 20' x 100'	Clear Translucent	Non-FR	SL12-20100	20 rolls
12 mil 20' x 100'	White Opaque	FR	SL12-20100-FR	20 rolls

Scaffold Sheeting accessories

ACCESSORIES	SIZE	ITEM NO.	CASE QUANTITY
Elastic Bungee Ties	12" Bungee Tie	A-BUNGEE	1,000 per case
2" Poly Seam Tape 7.5 mil	2" x 180' White	A-TAPE2	24 per case
4" Poly Seam Tape 7.5 mil	4" x 180' White	A-TAPE4	12 per case
6" Poly Seam Tape 7.5 mil	6" x 180' White	A-TAPE6	8 per case
4" Poly Seam Tape 9 mil PREMIUM	4" x 180' White	A-TAPE4-P9	12 per case
6" Poly Seam Tape 9 mil PREMIUM	6" x 180' White	A-TAPE6-P9	8 per case
Screw Lock Connector	1" Diameter	A-SCREWLOCK	500 per case
Zipper Door Heavy Duty 20 mil	54" x 72" Clear Vinyl	A-ZIP5472	1 each







# SHRINK WRAP CONTAINMENT

## SHRINK WRAP CONTAINMENT SW series

### PREMIUM EAGLE SHRINK WRAP

- Premium grade poly film sheeting formulated with industry leading shrink properties
- 9 mil & 12 mil thickness
- Weather resistant
- Mold & mildew resistant
- Aggressive bonding characteristics
- Consistent mil thickness throughout film
- Flame Retardant Shrink Wrap meets NFPA 701 Test Method II



### PRODUCT BENEFITS

- Creates a seamless, tight weather enclosure
- Provides a containment for dust & debris
- Used to cover equipment & assets
- Conforms to any structure
- Allows sunlight to transmit through
- Easy to patch, easy to repair

### APPLICATIONS

- Scaffolding containment
- Construction building enclosure
- Environmental containment
- Industrial tank coatings & sandblasting
- Marine ship repair & construction
- Bridge & overpass rehabilitation projects



ROLL SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PALLET QUANTITY
9 mil 26' x 62'	White	FR	SW9-2662-WHT-FR	16 rolls
9 mil 20' x 100'	White	FR	SW9-20100-WHT-FR	20 rolls
9 mil 30' x 100'	White	FR	SW9-30100-WHT-FR	9 rolls
9 mil 30' x 100'	White	Non-FR	SW9-30100-WHT	9 rolls
9 mil 32' x 70'	White	FR	SW9-3270-WHT-FR	12 rolls
12 mil 26' x 62'	White	FR	SW12-2662-WHT-FR	12 rolls
12 mil 20' x 100'	White	FR	SW12-20100-WHT-FR	12 rolls
12 mil 30' x 100'	White	FR	SW12-30100-WHT-FR	9 rolls
12 mil 32' x 70'	White	FR	SW12-3270-WHT-FR	9 rolls

#### Shrink Wrap accessories

DESCRIPTION	SIZE	ITEM NO.	CASE QUANTITY
2" Double Sided Cloth Tape	2" x 75' Natural	A-TAPEC2	24 per case
2" Poly Seam Tape 7.5 mil	2" x 180' White	A-TAPE2	24 per case
4" Poly Seam Tape 7.5 mil	4" x 180' White	A-TAPE4	12 per case
6" Poly Seam Tape 7.5 mil	6" x 180' White	A-TAPE6	8 per case
4" Poly Seam Tape 9 mil PREMIUM	4" x 180' White	A-TAPE4-P9	12 per case
6" Poly Seam Tape 9 mil PREMIUM	6" x 180' White	A-TAPE6-P9	8 per case
3/4" HD Polyester Strapping	3/4" x 1640' White	A-STRAP34HD	4 per case
3/4" HD Polyester Strapping FR	3/4" x 1500' Red/White	A-STRAP34HD-FR	2 per case
Adhesive Spray Glue	10 oz. can	A-SPRAY	12 per case
Zipper Door Heavy Duty 20 mil	54" x 72" Clear Vinyl	A-ZIP5472	1 each
Heat Shrink Gun 998	up to 212,000 BTU	A-SHRINKGUN	1 each
Heat Shrink Torch	up to 500,000 BTU	A-SHRINKTORCH	1 each





# CONSTRUCTION TARPS

<b>FR ECONOMY POLY TARPS</b>	.....	<b>34</b>
<b>FR HEAVY DUTY POLY TARPS</b>	.....	<b>35</b>
<b>FR EXTREME POLY TARPS</b>	.....	<b>36</b>
<b>FR ULTRA EXTREME POLY TARPS</b>	.....	<b>37</b>
<b>MESH TARPS</b>	.....	<b>38 – 39</b>
<b>MESH SCREENS</b>	.....	<b>40 – 41</b>
<b>WHITE NYLON TARPS</b>	.....	<b>42 – 43</b>
<b>SNOW TARPS</b>	.....	<b>44 – 45</b>





# ECONOMY FLAME RETARDANT POLY TARPS

6 MIL  
PT series

# HEAVY DUTY FLAME RETARDANT POLY TARPS

8 MIL  
PTH series



**6 MIL**

## ECONOMY DUTY 6 MIL • 8x8 WEAVE


- Flame retardant woven coated polyethylene
- Plastic reinforcements at all 4 corners
- 2" hemmed edges with double stitching
- Internal center seams for added connection
- Rust proof grommets spaced every 3 feet on all perimeter edges & internal seams
- Flame Retardant tarps meets NFPA 701 Test Method II




**8 MIL**

## HEAVY DUTY 8 MIL • 10x10 WEAVE

- Flame retardant woven coated polyethylene
- Sewn corner patches for added durability
- 2" hemmed edges with double stitching
- Internal center seams for added connection
- Rope border in hem
- Rust proof grommets spaced every 3 feet on all perimeter edges & internal seams
- Flame Retardant tarps meets NFPA 701 Test Method II



TARP SIZE	STYLE	COLOR	FLAME RETARDANT	ITEM NO.	BALE QUANTITY
20' x 30'	6 mil, 8x8 weave	White	FR	PT-2030-FR	4 per bale



TARP SIZE	STYLE	COLOR	FLAME RETARDANT	ITEM NO.	BALE QUANTITY
15' x 20'	8 mil, 10x10 weave	White	FR	PTH-1520-FR	6 per bale
20' x 30'	8 mil, 10x10 weave	White	FR	PTH-2030-FR	3 per bale







# EXTREME

## FLAME RETARDANT POLY TARPS

12 MIL  
PTE series

# ULTRA EXTREME

## FLAME RETARDANT POLY TARPS

20 MIL  
PTU series




### EXTREME DUTY 12 MIL • 14x14 WEAVE

- Flame retardant woven coated polyethylene
- 4" extra thick hemmed edges, 4 rows of extra stitching & sewn reinforced corners
- Heavy D-rings sewn & spaced every 3' on all perimeter edges
- Internal center seams with grommets down the center
- Rope border in hem
- Flame Retardant tarps meets NFPA 701 Test Method II




### ULTRA EXTREME DUTY 20 MIL • 8x8 WEAVE

- Flame retardant woven coated polyethylene
- 4" extra thick hemmed edges, 4 rows of extra stitching & sewn reinforced corners
- Heavy D-rings sewn & spaced every 3' on all perimeter edges
- Internal center seams with grommets down the center
- Rope border in hem
- Flame Retardant tarps meets NFPA 701 Test Method II



TARP SIZE	STYLE	COLOR	FLAME RETARDANT	ITEM NO.	BALE QUANTITY
20' x 20'	12 mil, 14x14 weave	White	FR	PTE-2020-FR	3 per bale
20' x 30'	12 mil, 14x14 weave	White	FR	PTE-2030-FR	2 per bale
20' x 50'	12 mil, 14x14 weave	White	FR	PTE-2050-FR	1 per bale
30' x 50'	12 mil, 14x14 weave	White	FR	PTE-3050-FR	1 per bale



TARP SIZE	STYLE	COLOR	FLAME RETARDANT	ITEM NO.	BALE QUANTITY
20' x 30'	20 mil, 8x8 weave	White	FR	PTU-2030-FR	2 per bale
20' x 50'	20 mil, 8x8 weave	White	FR	PTU-2050-FR	1 per bale







# MESH TARPS

**70% MESH TARPS**  
MT series




## 70% MESH DEBRIS NETTING

- High strength knitted polyethylene mesh
- 70% mesh, 1/16" hole openings
- Edges are hemmed with grommets every 3 feet
- Internal center seam includes additional grommets
- Tear resistant and UV treated
- Flame Retardant netting meets NFPA 701 Test Method II



**BLACK**



**GREEN**



**TAN**



**WHITE**



## PRODUCT BENEFITS

- Provides a mesh scaffolding enclosure
- Provides wind block
- Helps contain dust, debris and overspray
- Easy to tie down as a temporary cover
- Grommets located around the perimeter
- Additional tie downs down the internal seams

## APPLICATIONS

- Scaffolding enclosure
- Fireproofing overspray tarp
- Demolition debris containment
- Plastering, stucco, EIFS projects
- New building construction projects
- Restoration projects



TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	BALE QUANTITY
20' x 50'	Black	FR	MT-2050-BLK-FR	2 per bale
20' x 50'	Dark Green	FR	MT-2050-DGR-FR	2 per bale
20' x 50'	Tan	FR	MT-2050-TAN-FR	2 per bale
20' x 50'	White	FR	MT-2050-WHT-FR	2 per bale







# MESH SCREENS

**85% MESH SCREENS**  
MS series



## 85% MESH POLYPROPYLENE

- High strength woven polypropylene mesh fabric
- 85% mesh
- Edges are hemmed with grommets every 3 feet
- Internal center seam includes additional grommets
- Tear resistant and UV treated
- Flame Retardant white screen meets NFPA 701 Test Method II



**GREEN**



**BLACK**



**WHITE FR**



## PRODUCT BENEFITS

- Provides a mesh scaffolding enclosure
- Provides a wind block
- Helps contain dust, debris and overspray
- Easy to tie down as a temporary cover
- Grommets located around the perimeter
- Additional tie downs down the internal seams

## APPLICATIONS

- Scaffolding enclosure
- Fireproofing overspray tarp
- Demolition debris containment
- Plastering, stucco, EIFS projects
- New building construction projects
- Restoration projects



TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	BALE QUANTITY
20' x 50'	Black	Non-FR	MS-2050-BLK	2 per bale
20' x 50'	Dark Green	Non-FR	MS-2050-GRN	2 per bale
20' x 50'	White	FR	MS-2050-WHT-FR	2 per bale







# WHITE NYLON TARPS

**WHITE NYLON TARPS**  
NT series

## FIREPROOFING OVERSPRAY CONTAINMENT



- 420 denier woven nylon fabric
- Tear resistant
- Used as fireproofing containment
- White in color
- Perimeter edges are hemmed, stitched and reinforced with brass grommets every 3 feet
- Internal center centers are hemmed and reinforced with brass grommets every 3 feet
- Flame Retardant nylon meets NFPA 701 Test Method II



## PRODUCT BENEFITS

- Quality custom fabrication workmanship
- Made in USA
- Provides a temporary building enclosure
- Contains dust, debris and overspray
- Material is flexible and easy to handle
- Reusable, easy to fold & store



## APPLICATIONS

- Fireproofing overspray projects
- Commercial painting projects
- Abatement & demolition projects
- New steel building construction
- Winter enclosure
- Temporary dust & debris containment

TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
Custom tarp	White	Non-FR	NT-0000	1 each
20' x 50'	White	Non-FR	NT-2050	1 each
20' x 50'	White	FR	NT-2050-FR	1 each







# SNOW TARPS

**SNOW TARPS**  
ST series

## CONSTRUCTION SNOW REMOVAL TARP

- 18 oz. PVC coated vinyl black high strength fabric
- 8 lifting point lifting design with loops
- Heavy duty yellow webbing
- Perimeter edges and corners are extra reinforced
- Lifts snow & clears the jobsite quickly
- Tear resistant vinyl fabric
- Made in USA



## PRODUCT BENEFITS

- Heavy duty webbing reinforcement adds strength & durability
- Reduces down time & keeps projects on schedule by clearing the sight quickly
- Clears the jobsite quickly rather than shoveling
- Easy to deploy, lift, fold & store
- Saves time, man hours & labor

## APPLICATIONS

- Quickly & efficiently clears snow from the jobsites
- Used to cover equipment and materials
- Used to cover rebar during concrete pours

SNOW TARP	LIFTING POINTS	FABRIC	REINFORCED WEBBING	ITEM NO.	PALLET QUANTITY
20' x 20'	8 Lifting Loops	18 oz. Black PVC Vinyl	Heavy Duty Yellow Webbing	ST-2020-L	25 tarps
25' x 25'	8 Lifting Loops	18 oz. Black PVC Vinyl	Heavy Duty Yellow Webbing	ST-2525-L	20 tarps

### PLEASE READ CAREFULLY!!

- ▶ USED FOR REMOVING FRESHLY FALLEN SNOW.
- ▶ WEBBING MUST ALWAYS FACE DOWN DURING USE.
- ▶ NEVER LIFT A TORN, RIPPED OR DAMAGED TARP.
- ▶ NEVER LIFT PEOPLE INSIDE OF TARP.
- ▶ NEVER LIFT TARP ABOVE WORKERS, PEDESTRIANS, EQUIPMENT OR AREAS CONTAINING PERSONNEL.

NOT ACTUAL SIZE  
(3 ft. x 3 ft. sample)





# CONTAINMENT TARPS

<b>COATED AIRBAG TARPS</b>	<b>..... 48 – 49</b>
<b>COATED RIPSTOP TARPS</b>	<b>..... 50 – 51</b>
<b>COATED GEOTARPS</b>	<b>..... 52 – 53</b>
<b>GEOSCREENS</b>	<b>..... 54 – 55</b>
<b>VINYL TARPS</b>	<b>..... 56 – 57</b>
<b>DURASHIELD TARPS</b>	<b>..... 58 – 59</b>
<b>CANVAS TARPS</b>	<b>..... 60 – 61</b>





# COATED AIRBAG TARPS

**COATED AIRBAG TARPS**  
AIR series

## AIRBAG NYLON CONTAINMENT TARP



- 420 denier silicone coated woven nylon
- Impermeable fabric
- 2" seatbelt webbing reinforced on all edges, internal seams & overlaps
- Brass grommets every 2 feet on all edges, internal seams & overlaps
- Reinforced sewn corners for added durability
- Compliant SSPC Class 1A Containment
- Flame Retardant fabric meets FMVSS 302 Test Method



colors may change based on available stock



## PRODUCT BENEFITS

- Quality custom fabrication workmanship
- Made in USA
- Provides a negative pressure enclosure
- Contains dust, debris, overspray & waste
- Material is flexible & easy to handle
- Reusable, easy to fold and store

## APPLICATIONS

- Sandblasting & coatings containment
- Abatement containment
- Bridge & overpass projects
- Water tower & tank projects
- Ship repair & drydock projects
- Fireproofing overspray projects



TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
Custom tarp	Varies upon availability	FR - FMVSS 302	AIR-0000	1 each
20' x 100'	Varies upon availability	FR - FMVSS 302	AIR-20100	1 each
30' x 100'	Varies upon availability	FR - FMVSS 302	AIR-30100	1 each
30' x 50'	Varies upon availability	FR - FMVSS 302	AIR-3050	1 each
35' x 50'	Varies upon availability	FR - FMVSS 302	AIR-3550	1 each
40' x 60'	Varies upon availability	FR - FMVSS 302	AIR-4060	1 each
50' x 50'	Varies upon availability	FR - FMVSS 302	AIR-5050	1 each
60' x 40'	Varies upon availability	FR - FMVSS 302	AIR-6040	1 each
100' x 15'	Varies upon availability	FR - FMVSS 302	AIR-10015	1 each







# COATED RIPSTOP TARPS

**COATED RIPSTOP TARPS**  
RIP series

## RIPSTOP NYLON CONTAINMENT TARP



- 840 Denier woven ripstop nylon fabric with a PVC impermeable coating
- 2" seatbelt webbing reinforced on all edges, internal seams & overlaps
- Brass grommets every 2 feet on all edges, internal seams & overlaps
- Reinforced sewn corners for added durability
- Compliant SSPC Class 1A Containment
- Flame Retardant fabric meets FMVSS 302 Test Method

## PRODUCT BENEFITS

- Quality custom fabrication workmanship
- Made in USA
- Provides a negative pressure enclosure
- Contains dust, debris, overspray & waste
- Material is flexible & easy to handle
- Reusable, easy to fold and store

## APPLICATIONS

- Sandblasting & coatings containment
- Abatement containment
- Bridge & overpass projects
- Water tower & tank projects
- Ship repair & drydock projects
- Fireproofing overspray projects

TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
Custom tarp	Natural White	FR - FMVSS 302	RIP-0000	1 each







# COATED GEOTARPS

**COATED GEOTARPS**  
GT series

## POLYPROPYLENE CONTAINMENT TARP



- 6.7 oz. woven coated polypropylene fabric
- Impermeable coated fabric, white in color
- 2" seatbelt webbing reinforced on all edges, internal seams & overlaps
- Brass grommets every 2 feet on all edges, internal seams & overlaps
- Reinforced sewn corners for added durability
- Compliant SSPC Class 1A Containment
- Flame Retardant fabric meets NFPA 701 Test Method II



## PRODUCT BENEFITS

- Quality custom fabrication workmanship
- Made in USA
- Provides a negative pressure enclosure
- Contains dust, debris, overspray & waste
- Material is flexible & easy to handle
- Reusable, easy to fold and store

## APPLICATIONS

- Sandblasting & coatings containment
- Abatement containment
- Water tower & tank projects
- Ship repair & drydock projects
- Restoration projects
- Construction winter enclosure



TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
Custom tarp	White	Non-FR	GT-0000	1 each
Custom tarp	White	FR	GTFR-0000	1 each
21' x 20'	White	FR	GTFR-2120	1 each
24' x 40'	White	Non-FR	GT-2440	1 each
30' x 100'	White	Non-FR	GT-30100	1 each
35' x 50'	White	Non-FR	GT-3550	1 each
35' x 50'	White	FR	GTFR-3550	1 each
42' x 150'	White	Non-FR	GT-42150	1 each







# GEOSCREENS

**85% GEOSCREENS**  
GS series



## POLYPROPYLENE BLAST & PAINT SCREENS

- High strength woven polypropylene screen
- 85% mesh
- Black screen - Non-Flame Retardant
- White screen - Flame Retardant
- 2" seatbelt webbing reinforced on all edges, internal seams & overlaps
- Brass grommets every 2 feet on all edges, internal seams & overlaps
- Reinforced sewn corners for added durability



## PRODUCT BENEFITS

- Quality custom fabrication workmanship
- Made in USA
- Contains dust, debris, overspray
- Allows air to pass through
- Material is strong & durable
- Mildew resistant & rust resistant



## APPLICATIONS

- Sandblasting & coatings containment
- Outdoor blasting booths
- Water tower & tank projects
- Shipyards & drydocks
- Plant & refinery maintenance projects
- Fireproofing overspray projects

TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
Custom tarp	Black	Non-FR	GS-85B-0000	1 each
10' x 20'	Black	Non-FR	GS-85B-1020	1 each
20' x 20'	Black	Non-FR	GS-85B-2020	1 each
20' x 40'	Black	Non-FR	GS-85B-2040	1 each
30' x 50'	Black	Non-FR	GS-85B-3050	1 each
30' x 70'	Black	Non-FR	GS-85B-3070	1 each
60' x 40'	Black	Non-FR	GS-85B-6040	1 each

TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
Custom tarp	White	FR	GS-86W-0000	1 each
20' x 20'	White	FR	GS-86W-2020	1 each
30' x 50'	White	FR	GS-86W-3050	1 each







# VINYL TARPS

**VINYL TARPS**  
VT series

## HEAVY DUTY PVC COATED VINYL TARPS



various color vinyl available

- High strength PVC coated vinyl fabric
- 10 oz., 13 oz., 14 oz., 18 oz., 22 oz., 40 oz.
- Weather resistant solid fabric
- 2" seatbelt webbing reinforced on all edges, internal seams & overlaps
- Brass grommets every 2 feet on all edges, internal seams & overlaps
- Various colors available
- Flame Retardant fabric meets NFPA 701 Test Method II

## PRODUCT BENEFITS

- Quality custom fabrication workmanship
- Made in USA
- Contains dust, debris and overspray
- Heavy duty impermeable fabric
- Material is strong & durable
- Mildew resistant & rust resistant

## APPLICATIONS

- Sandblasting & coatings containment
- Ground cover
- New construction projects
- Restoration projects
- Shipyards & drydocks
- Plant & refinery maintenance projects



TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
10 oz. Custom tarp	Various	FR, Non-FR	VT10-0000	1 each
13 oz. Custom tarp	Various	FR, Non-FR	VT13-0000	1 each
14 oz. Custom tarp	Various	FR, Non-FR	VT14-0000	1 each
18 oz. Custom tarp	Various	FR, Non-FR	VT18-0000	1 each
22 oz. Custom tarp	Various	FR, Non-FR	VT22-0000	1 each
40 oz. Custom tarp	Various	FR, Non-FR	VT40-0000	1 each







# DURASHIELD TARPS

**DURASHIELD TARPS**  
DST series

## HEAVY DUTY WOVEN POLY TARP

- Extrusion coated woven polyethylene fabric
- Mil thickness: 12 mil, 14 mil, 16 mil, 20 mil
- Heat welded center seams
- 2" seatbelt webbing reinforced on all edges, internal seams & overlaps
- Brass grommets every 2 feet on all edges, internal seams & overlaps
- Reinforced sewn corners for added durability
- Flame Retardant fabric meets NFPA 701 Test Method II

## PRODUCT BENEFITS

- Contains dust, debris & overspray
- Provides a negative pressure enclosure
- Durable material for long term usage
- Coated material for weather protection
- Provides a solid wind block
- Quality custom fabrication workmanship

## APPLICATIONS

- Industrial jobsite enclosures
- Solid weather protection
- Scaffolding containment
- Industrial roof covers
- Building enclosures
- Keder panel tarping systems



MIL THICKNESS	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
12 mil	Silver/White	Non-FR	DST-12	1 each
12 mil FR	Off White	FR	DST-12-FR	1 each
14 mil	Black/White	Non-FR	DST-14	1 each
16 mil	Blue/White	Non-FR	DST-16	1 each
20 mil	White	Non-FR	DST-20	1 each
20 mil FR	Off White	FR	DST-20-FR	1 each







# FR CANVAS TARPS

**CANVAS TARPS**  
CAN series

## HEAVY DUTY FLAME RETARDANT CANVAS COVERS



- High strength twill woven duct cotton
- 12 oz. fabric
- Olive green in color
- Hemmed edges are double folded, double stitched and include grommets every 2 feet
- UV treated
- Mildew resistant, weather resistant
- Flame Retardant Canvas



## PRODUCT BENEFITS

- Heavy duty tarpaulin cover
- Covers exposed material from weather
- FR Canvas is highly resistant to heat
- Contains dust, debris, overspray & waste
- Material is flexible & easy handle
- Reusable, easy to fold & store



## APPLICATIONS

- Temporary covers
- Plant & refinery maintenance
- Offshore oil rigs
- Sandblasting & coatings containment
- Ship repair & drydock projects
- General construction projects

TARP SIZE	COLOR	FLAME RETARDANT	ITEM NO.	PACKAGING
Custom tarp	Olive Drab Green	FR	CAN-0000	1 each
6' x 8'	Olive Drab Green	FR	CAN-12-0608-FR	1 each
10' x 8'	Olive Drab Green	FR	CAN-12-1008-FR	1 each
10' x 12'	Olive Drab Green	FR	CAN-12-1012-FR	1 each
10' x 20'	Olive Drab Green	FR	CAN-12-1020-FR	1 each
12' x 12'	Olive Drab Green	FR	CAN-12-1212-FR	1 each
12' x 14'	Olive Drab Green	FR	CAN-12-1214-FR	1 each
12' x 16'	Olive Drab Green	FR	CAN-12-1216-FR	1 each
20' x 20'	Olive Drab Green	FR	CAN-12-2020-FR	1 each
20' x 30'	Olive Drab Green	FR	CAN-12-2030-FR	1 each







# SPECIALTY PRODUCTS

<b>POLY BURLAP CURING BLANKETS . . . .</b>	<b>64 – 65</b>
<b>CONKURE BLANKETS . . . . .</b>	<b>66 – 67</b>
<b>COVER GUARD SURFACE PROTECTION ..</b>	<b>68 – 69</b>
<b>MILITARY SWITCHBOARD MATTING . . . .</b>	<b>70 – 71</b>
<b>SOUND CURTAINS . . . . .</b>	<b>72 – 73</b>
<b>WELDING FIRE BLANKETS . . . . .</b>	<b>74 – 75</b>







# POLY BURLAP CURING BLANKETS

## POLY BURLAP CURING BLANKETS PB series

### “WET CURE” CONCRETE BLANKETS

- 5 mil white coated poly sheeting laminated onto 10 oz. burlap sheet
- 10' x 100' roll
- “Wet cure” is achieved by dampening the concrete surface than applying Poly Burlap
- Burlap faces down to absorb and retain moisture while the white reflective poly faces up reflecting heat and sunlight
- Burlap meets AASHTO M-171 and M-182
- Meets ASTM C156 and ASTM C171 for moisture retention



### PRODUCT BENEFITS


- Quality lamination between the two fabrics
- Burlap is moisture absorbent material
- White poly reflects intense heat & sunlight
- Material is flexible & easy handle
- Meets DOT requirements for curing
- Reusable & easy to store

### APPLICATIONS

- Freshly poured concrete
- Interstates & highway projects
- Bridge & overpass projects
- Decks, slabs, concrete surfaces
- Retain walls & concrete columns
- Vertical concrete construction



ROLL SIZE	DESCRIPTION	AASHTO SPECIFICATION	ITEM NO.	PALLET QUANTITY
10' x 100'	5 mil poly, 10 oz. burlap	M-182 CLASS II	PB-10100	20 rolls







# CONKURE BLANKETS

**CONKURE BLANKETS**  
CB series

## SYNTHETIC WET CURE BLANKETS

- Absorbent synthetic needle punched fabric coated with a white reflective film
- 21 mil thickness
- 9' x 250' roll
- Unlike burlap, it will not rot or mildew
- Absorbent side faces down to absorb and retain moisture while the white reflective poly faces up reflecting heat and sunlight
- Meets and exceeds the moisture retention specification AASHTO M-171 and ASTM C-171

## PRODUCT BENEFITS


- Quality lamination between the two fabrics
- Absorbent fabric retains the moisture
- White poly reflects intense heat/sunlights
- Material is flexible & easy to handle
- Meets DOT requirements for curing
- Reusable & easy to store

## APPLICATIONS

- Freshly poured concrete
- Interstates & highway projects
- Bridge & overpass projects
- Decks, slabs, concrete surfaces
- Retain walls & concrete columns
- Vertical concrete construction



ROLL SIZE	DESCRIPTION	AASHTO SPECIFICATION	COLOR	PALLET QUANTITY
9' x 250'	Synthetic wet cure blanket	M-171 (moisture retention)	CB-09250	16 rolls








# COVER GUARD SURFACE PROTECTION

COVER GUARD SURFACE PROTECTION  
CG series

## TEMPORARY SURFACE & DECK PROTECTION



- **Diamond Plate:** 10 mil, 25 mil, 40 mil
- **Smooth Finish:** 20 mil, 30 mil
- **Blue:** Flame retardant
- **Orange:** Non-flame retardant
- Molded polyethylene surface protection
- OSHA compliant, NAVSEA certified



## PRODUCT BENEFITS

- Diamond anti-slip meets ASTM C 1028-07
- Puncher resistant & water resistant
- Anti-static, puncher & water resistant
- Easy to unroll, easy to install & remove
- Reusable & recyclable

## APPLICATIONS

- Marine ships, aircrafts, boats, yachts
- Building construction sites
- Building restoration projects
- Hospitals, universities, government projects
- Utilities industry



Blue FR Cover Guard

COLOR	MIL THICKNESS	ROLL SIZE	FINISH TEXTURE	FLAME RETARDANT	ITEM NO.	PALLET QUANTITY
Blue FR	10 mil	36" x 393'	Diamond Plate	FR	CG-1036DP	16 rolls
Blue FR	10 mil	72" x 393'	Diamond Plate	FR	CG-1072DP	9 rolls
Blue FR	13 mil	36" x 360'	Diamond Plate	FR	CG-1336DP	16 rolls
Blue FR	13 mil	72" x 360'	Diamond Plate	FR	CG-1372DP	9 rolls
Blue FR	20 mil	48" x 100'	Smooth Finish	FR	CG-2048SF	10 rolls
Blue FR	25 mil	36" x 180'	Diamond Plate	FR	CG-2536DP	12 rolls
Blue FR	25 mil	72" x 180'	Diamond Plate	FR	CG-2572DP	9 rolls
Blue FR	30 mil	36" x 100'	Smooth Finish	FR	CG-3036SF	24 rolls
Blue FR	40 mil	36" x 120'	Diamond Plate	FR	CG-4036DP	9 rolls
Blue FR	40 mil	72" x 120'	Diamond Plate	FR	CG-4072DP	9 rolls

Orange Non-FR Cover Guard 2

COLOR	MIL THICKNESS	ROLL SIZE	FINISH TEXTURE	FLAME RETARDANT	ITEM NO.	PALLET QUANTITY
Orange Non-FR	10 mil	36" x 393'	Diamond Plate	Non-FR	CG2-1036DP	16 rolls
Orange Non-FR	25 mil	36" x 180'	Diamond Plate	Non-FR	CG2-2536DP	9 rolls
Orange Non-FR	40 mil	36" x 120'	Diamond Plate	Non-FR	CG2-4036DP	16 rolls










# MILITARY SWITCHBOARD MATTING

**MILITARY SWITCHBOARD MATTING**  
MIL-DTL-15562G

## MILITARY GRADE SURFACE & DECK PROTECTION

- **Type I Matting:** 1/8" thickness  
Smooth marbled finish Blue, Green, Beige, Gray
- **Type II Matting:** 1/8" thickness  
Smooth solid finish Blue, Green, Black
- **Type III Matting:** 3/16" thickness  
Diamond embossed Gray, Green
- Mil-spec approved MIL-DTL-15562G
- Compliant with the US Department of Defense




## PRODUCT BENEFITS

- Flame Retardant
- Abrasion resistant
- Electrically insulated matting
- Dielectric Test Voltage: 30,000 VAC
- Proof Test over entire surface: 15,000 VAC
- Recommended max use voltage: 3,000 VAC

## APPLICATIONS

- U.S. Navy ship decks, surfaces, walkways
- High voltage areas & surfaces
- Electrical workbenches
- Sub-stations
- Transformers
- Portable runner mats



**TYPE I**

MATTING	COLOR	ROLL SIZE	MIL SPEC FLAME RETARDANT	ITEM NO.	PALLET QUANTITY
Type I	Blue	36" x 75 ft.	MIL-DTL-15562G, FR	TYPE-I-BLUE	6 rolls
Type I	Green	36" x 75 ft.	MIL-DTL-15562G, FR	TYPE-I-GREEN	6 rolls
Type I	Beige	36" x 75 ft.	MIL-DTL-15562G, FR	TYPE-I-BEIGE	6 rolls
Type I	Gray	36" x 75 ft.	MIL-DTL-15562G, FR	TYPE-I-GRAY	6 rolls

**TYPE II**

MATTING	COLOR	ROLL SIZE	MIL SPEC FLAME RETARDANT	ITEM NO.	PALLET QUANTITY
Type II	Blue	36" x 75 ft.	MIL-DTL-15562G, FR	TYPE-II-BLUE	6 rolls
Type II	Green	36" x 75 ft.	MIL-DTL-15562G, FR	TYPE-II-GREEN	6 rolls
Type II	Black	36" x 75 ft.	MIL-DTL-15562G, FR	TYPE-II-BLACK	6 rolls

**TYPE III**

MATTING	COLOR	ROLL SIZE	MIL SPEC FLAME RETARDANT	ITEM NO.	PALLET QUANTITY
Type III	Gray	36" x 75 ft.	MIL-DTL-15562G, FR	TYPE-III-GRAY	6 rolls
Type III	Green	36" x 75 ft.	MIL-DTL-15562G, FR	TYPE-III-GREEN	6 rolls





# SOUND CURTAINS & NOISE CONTROL

## SOUND CURTAINS & NOISE CONTROL SC series

### ACOUSTICAL SOUND BARRIER & NOISE CONTROL



- Made from quilted fiberglass noise absorbers
- **Outer shell:** 10 oz. PVC coated vinyl fabric
- **Inner padding:** Fiberglass insulation
- **Backing:** 1 lb. loaded vinyl membrane
- Edges are hemmed with brass grommets
- Velcro on matting edges is optional

### PRODUCT BENEFITS

- Noise reduction & control
- Used for temporary or permanent applications
- Easy to install & remove
- Durable weather resistant panels
- Quality fabrication & stitching

### APPLICATIONS

- Construction sites
- Business districts, residential areas
- Plants, refineries, fabrication yards
- Manufacturing facilities
- Temporary retaining walls
- Indoor & outdoor usage



TYPE	DESCRIPTION	PANEL WIDTH	COLOR	STOCK
BSC series	Barrier Septum Composite (Inside)	54" wide	Gray	Custom
BBC series	Barrier Backing Composite (Backside)	54" wide	Gray	Custom







# FIRE RETARDANT WELDING BLANKETS

**FR WELDING BLANKETS**  
WB series

## FR WELDING PROTECTION FABRIC

- 16.8 oz/sqyd silicone coated fiberglass
- 13 mil thickness
- Temperature rating of 1,000 °F
- Highly flame retardant and abrasion resistant
- Meets NFPA 51B and ANSI/FM 4950 for hot works
- Easy to handle and unroll





## PRODUCT BENEFITS

- Protects from sparks and slag associated with welding and grinding
- Filament fiber base gives good flexibility, making it easy to drape and handle
- Reusable and easy to roll up for storage
- Composed of non-organic materials and will not produce hazardous out-gassing


## APPLICATIONS

- Protection from metal shavings, slag and other high temperature waste materials
- Welding curtains or heat blankets
- Shipbuilding & marine construction
- Power plants, oil refineries, construction projects & fabrication yards

ROLL SIZE	WEIGHT	MIL THICKNESS	FLAME RETARDANT	ITEM NO.	PALLET QUANTITY
38" x 150'	16.8 oz.	13 mil	NFPA 51B	WB-38150	20 rolls
60" x 150'	16.8 oz.	13 mil	NFPA 51B	WB-60150	20 rolls







# TOTAL CONTAINMENT SYSTEMS

<b>TEPE SYSTEM</b>	<b>. . . . . 78 – 79</b>
<b>E-TRAX SYSTEM</b>	<b>. . . . . 80 – 81</b>
<b>CONTAINMENT ROOF BONNETS</b>	<b>. . . . . 82 – 83</b>
<b>CONTAINMENT FUNNELS</b>	<b>. . . . . 84 – 85</b>





# TEPE SYSTEM

**TEPE SYSTEM**  
Totally Enclosed Painting Environment



**BUY OR RENT**

## TOTALLY ENCLOSED PAINTING ENVIRONMENT (TEPE)



- Custom fabricated system for your project
- Designed to provide maximum containment for painting environments without the use of scaffolding or other structures
- TEPE System includes tarp, outriggers, cables, and hardware
- Tarp panels are made from nylon, polypropylene & various other fabrics
- Webbing and grommets on all seam and edges
- Outrigging poles are weldable to tanks
- Ground anchors are designed to tie down tarps

## PRODUCT BENEFITS

- Totally enclosed and contained environment keeps containment away from structure and workers
- Easy to use and deploy on a moment's notice
- Proven solution for elevated water storage tanks
- Re-usable and long lasting
- Available for PURCHASE or RENTAL

## APPLICATIONS

- Elevated water towers
- Negative pressure enclosures
- Industrial painting/coating projects
- Coatings removal projects
- Containment curtain systems
- Abatement control projects









# E-TRAX SYSTEM

**E-TRAX SYSTEM**  
Scaffolding and Rail Enclosure System



## PRODUCT BENEFITS

- Aluminum frames can withstand severe weather conditions and substantial winds
- Weather tight enclosure for harsh winters
- Save time & labor with ease of use & installation
- Durable & fully re-usable system, will last for years

## APPLICATIONS

- Construction building enclosures
- Restoration & new construction
- Environmental containment
- Winter & weather protection
- Abatement remediation
- Scaffolding enclosure, temporary cover



## SCAFFOLDING AND RAIL ENCLOSURE SYSTEM

- Aluminum supported enclosure system designed for maximum wind and weather protection
- Enclosure wrap made from polyethylene, polypropylene, vinyl and various other fabrics
- Works with any standard scaffold or cable supported structure
- Conforms to any structure with attachment points for scaffold clamps







# CONTAINMENT ROOF BONNETS

**CONTAINMENT ROOF BONNETS**  
Custom Fabricated Tarp Covers



## PRODUCT BENEFITS

- Contains dust, debris, overspray & waste
- Protect from wind & weather
- Quality custom fabrication & workmanship
- Gives full containment of any sphere structure
- Durable, re-usable & ease of installation


## APPLICATIONS

- Elevated water tower
- Ground level storage tanks
- Clarifier & digester tanks
- Waste water treatment facilities
- Sphere structures inside plant & refineries


## TOTAL CONTAINMENT ROOF COVERS

WATER TOWERS, STORAGE TANKS, RESERVOIRS, DIGESTER TANKS, CLARIFIERS

Radial Seams



Natural Seams



- Specialty made industrial grade roof enclosures for elevated tanks and ground level storage tanks
- Custom made to order
- Made in full, half or quarter sections to accommodate for size and handling of the bonnet itself
- Designed with natural seams or radial seams to a-line with your designed cabling system
- Webbing and grommets on all edges and internal seams
- Fabricated from various industrial tarp fabrics
- Flame Retardant available







# CONTAINMENT FUNNELS

**CONTAINMENT FUNNELS**  
Custom Fabricated Tarp Chutes



## PRODUCT BENEFITS

- Collects airborne paint chips, overspray, blast media, hazardous debris & more
- Protects harmful or hazardous debris from entering the environment
- Can be simple in design or complexly engineered to fit the toughest of applications

## APPLICATIONS

- Asbestos abatement projects
- Industrial painting/coating containment
- Sandblasting projects
- Bridges, water towers & storage tanks
- Plants & refineries



## CUSTOM FABRICATED CONTAINMENT CHUTES

- Contain and dispose of environmentally sensitive waste and debris
- Collect and reuse existing materials such as blasting abrasives and grit
- Funnels can be made from high strength nylon, polypropylene or vinyl fabrics
- Built with webbing and grommets on all edges and internal seams
- Custom made to order to fit your project
- Flame Retardant Funnels available







# **JOBSITE VENTILATION**

<b>BLACK MAX FANS</b>	<b>..... 88 – 89</b>
<b>VENTILATION DUCTING</b>	<b>..... 90</b>
<b>DUST SOCK CONTAINMENT</b>	<b>..... 91</b>





# BLACK MAX FANS

**BLACK MAX FANS**  
BMF series



## INDUSTRIAL VENTILATION FANS

- **Motors:** Standard Electric (TEAO)  
Hazardous Proof Electric (EXPL)  
Pneumatic (AIR)
- **Blade Size:** 12", 16", 20", 24"
- Heavy-duty steel frame construction
- Forged spiral cast aluminum blades
- Built with pleated micron filters
- Adaptable for dust socks and ducting
- High volume air flow design

## PRODUCT BENEFITS

- Various CFM options available
- Used in confined space areas
- Used during containment projects
- Used as a positive pressure air ventilator
- Used in the coatings & sandblasting industry
- Handles easily for carrying and portability

## ACCESSORIES

- **Eagle Ducting**  
12", 16", 20", 24" diameter  
25 ft. lengths
- **Eagle Dust Socks**  
Cotton sateen dust sock containment
- **Eagle Clamps & Adapters**  
Used to attach ducting and dust socks



BLADE SIZE	MOTOR	ITEM #	H.P.	AMPS	POWER	FRAME CONSTRUCTION (HxWxD)	WT.	SHROUD <C.F.M.>	VENTURI <C.F.M.>
12"	TEAO	BMF-12T	1/2	6.5	115v	15.5" x 15" x 13"	40 lbs	2750	3700
12"	EXPL	BMF-12X	1/2	6.5	115v	15.5" x 15" x 13"	42 lbs	2750	3700
12"	PNEU	BMF-12P	60 CFM		AIR	19.25" x 18.75" x 13"	41 lbs	3200	5200
16"	TEAO	BMF-16T	1/3	5.8	115v / 230v	19.25" x 18.75" x 13"	44 lbs	3200	5200
16"	EXPL	BMF-16X	1/3	5.8	115v / 230v	19.25" x 18.75" x 13"	49 lbs	3200	5200
16"	PNEU	BMF-16P	70 CFM		AIR	25" x 18.75" x 13"	45 lbs	4800	6800
20"	TEAO	BMF-20T	1	14	115v / 230v	25.5" x 24.75" x 16.25"	85 lbs	6700	9500
20"	EXPL	BMF-20X	1	12	115v / 230v	25.5" x 24.75" x 16.25"	93 lbs	6700	9500
20"	PNEU	BMF-20P	75 CFM		AIR	30" x 24.75" x 16.25"	60 lbs	6900	9800
24"	TEAO	BMF-24T	1.5	18	115v / 230v	28" x 28" x 18.75"	110 lbs	8600	10,800
24"	EXPL	BMF-24X	1.5	20	115v / 230v	28" x 28" x 18.75"	115 lbs	8600	10,800
24"	PNEU	BMF-24P	175 CFM		AIR	33" x 28" x 18.75"	105 lbs	10,000	14,200

TEAO - Totally Enclosed Air Over Motor (Electric) • EXPL - Explosion Proof Motor Frame Construction (Hazardous Use) • PNEU - Pneumatic Powered (Air)





# VENTILATION DUCTING

DUC-V series

# DUST SOCK CONTAINMENT

DUS series


## POSITIVE & NEGATIVE PRESSURE VENTILATION



- Lightweight duct hose for fan & blower applications
- Yellow PVC vinyl coated polyester fabric hose, single-ply with black wearstrip
- Reinforced with a spring steel wire helix
- 5.5" pitch
- Listed as UL 94V-0 flame retardant
- Temperature range is -20° F to 180° F
- Diameters: 12", 16", 20", 24"



SIZE	VENTILATION DUCTING	COLOR	ITEM NO.	PACKAGING
12" x 25 ft.	Single-Ply PVC Ventilation	Yellow/Black	DUC-V-12	1 each
16" x 25 ft.	Single-Ply PVC Ventilation	Yellow/Black	DUC-V-16	1 each
20" x 25 ft.	Single-Ply PVC Ventilation	Yellow/Black	DUC-V-20	1 each
24" x 25 ft.	Single-Ply PVC Ventilation	Yellow/Black	DUC-V-24	1 each



## DUST COLLECTION & AIR FILTRATION



- Made from 100% cotton sateen or non-woven polypropylene
- Includes zipper access for easy cleaning
- Slightly breathable for air filtration
- High volume air flow design
- Tapered neck for easy attachments
- Designed to fit all Eagle Black Max Fans



SIZE	MATERIAL	EFFICIENT BLACK MAX FAN	ITEM NO.	PACKAGING
3'6" x 10'	Cotton Fabric	12" FAN	DUS-310-CS	1 each
4'6" x 7'	Cotton Fabric	12" FAN	DUS-407-CS	1 each
4'6" x 15'	Cotton Fabric	16" FAN	DUS-415-CS	1 each
6' x 15'	Cotton Fabric	16", 20" FAN	DUS-615-CS	1 each
6' x 20'	Cotton Fabric	20" FAN	DUS-620-CS	1 each
8' x 20'	Cotton Fabric	20" FAN	DUS-820-CS	1 each
8' x 25'	Cotton Fabric	20" FAN	DUS-825-CS	1 each
Custom	Cotton Fabric	ALL	DUC-V-24	1 each







# ACCESSORIES & HARDWARE

## ACCESSORIES & HARDWARE used for product applications



### NYLON CABLE TIES

11" Black - 50 psi  
11" White - 50 psi  
14" Black - 120 psi  
14" White - 120 psi  
100/bag 1,000/case



### ELASTIC BUNGEE TIES

12" inches  
100/bag 1,000/case  
USED WITH SCAF-LITE™ SCAFFOLD SHEETING




### SCAFFOLD WIND CLIPS

11" inches Black  
100/case  
USED WITH REINFORCED POLY SHEETING




### SCREW LOCK CONNECTORS

1" inch White  
500/case  
USED WITH SCAF-LITE™ SCAFFOLD SHEETING



### SHRINK WRAP HEAT GUN

134,000 to 212,000 BTU of power  
25' propane hose & regulator




### SHRINK WRAP HEAT TORCH

up to 500,000 BTU of power  
25' propane hose, regulator & tip igniter



### STEEL MAGNET BARS

1 ft. bars - 40 lb. capacity  
2 ft. bars - 80 lb. capacity  
4 ft. bars - 160 lb. capacity  
6 ft. bars - 240 lb. capacity  
FASTEN TARPS OR SHEETING TO STORAGE TANKS



### STEEL GROUND ANCHOR

54" x 8"  
USED WITH THE EAGLE T.E.P.E. SYSTEM



### WHITE POLY TAPE

7.5 mil Tape  
2" x 180' - 24 rolls/case  
4" x 180' - 12 rolls/case  
6" x 180' - 8 rolls/case



### PREMIUM WHITE POLY TAPE

9 mil Premium Tape  
4" x 180' - 12 rolls/case  
6" x 180' - 8 rolls/case



### DOUBLE SIDED TAPE

2" x 180'  
24 rolls/case



### COVER GUARD BLUE TAPE

3" x 165'  
16 rolls/case  
USED WITH COVER GUARD SURFACE PROTECTION



### MANILLA ROPE

1/4" x 600'  
5/16" x 600'  
3/8" x 600'  
1/2" x 600'  
5/8" x 600'



### YELLOW POLY ROPE

1/4" x 600'  
5/16" x 600'  
3/8" x 600'  
1/2" x 600'  
5/8" x 600'



### 3-STRAND NYLON ROPE

1/4" x 600'  
5/16" x 600'  
3/8" x 600'  
1/2" x 600'  
5/8" x 600'



### POLY-DAC COMBO SAFETY ROPE

1/4" x 600'  
5/16" x 600'  
3/8" x 600'  
1/2" x 600'  
5/8" x 600'



### ADHESIVE SPRAY GLUE

HEAVY DUTY  
Net Weight 10 oz.  
17 Fluid Oz.  
12 cans/case



### HEAVY DUTY STRAPPING

3/4" x 1640'  
4 rolls/case



### FR HEAVY DUTY STRAPPING

3/4" x 1500'  
2 rolls/case




### ZIPPER ACCESS DOORS

54" x 72" Zipper Door  
60" x 72" Flame Retardant Zipper Door



### GALVANIZED AIRCRAFT CABLE

5/16" Aircraft Cable  
3/8" Aircraft Cable  
(7x19 strand cord count)



### SNAP HOOK CLIPS

5/16" Snap Clip  
3/8" Snap Clip  
7/16" Snap Clip  
1/2" Snap Clip  
(wide mouth clips available)



### GALVANIZED CABLE CLAMPS

5/16" Cable Clamp  
3/8" Cable Clamp



### GALVANIZED FIST GRIPS

5/16" Cable Clamp  
3/8" Cable Clamp





# ACCESSORIES & HARDWARE

# NOTES

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---




---



**GALVANIZED SHACKLES**

3/8" Shackle  
1/2" Shackle  
5/8" Shackle



**TURNBUCKLES EYE & EYE**

1/2" x 12"



**TURNBUCKLES EYE & JAW**

3/8" x 6"  
5/16" x 4.5"  
1/2" x 9"  
1/2" x 12"  
5/8" x 12"



**FAN TRANSITION ADAPTERS**

12" Square to Round  
16" Square to Round  
20" Square to Round  
24" Square to Round  
USED WITH EAGLE  
BLACK MAX FANS



**DUCTING COUPLERS**

12" Ducting Coupler  
16" Ducting Coupler  
20" Ducting Coupler  
24" Ducting Coupler  
USED WITH EAGLE  
VENTILATION DUCTING



**DUCTING FLAT BAND CLAMPS**

12" Flat Band Clamp  
16" Flat Band Clamp  
20" Flat Band Clamp  
24" Flat Band Clamp  
USED WITH EAGLE  
VENTILATION DUCTING



**DUCTING SCREW CLAMPS**

12" Screw Clamp  
16" Screw Clamp  
20" Screw Clamp  
24" Screw Clamp  
USED WITH EAGLE  
VENTILATION DUCTING



**DUCTING BRIDGE CLAMPS**

12" Bridge Clamp  
16" Bridge Clamp  
20" Bridge Clamp  
24" Bridge Clamp  
USED WITH EAGLE  
VENTILATION DUCTING



**DEBRIS NETTING**



**SAFETY NETTING**



**FLAME RETARDANT TARPS**



**SCAFFOLDING ENCLOSURES**



**REINFORCED POLY SHEETING**

**MESH TARPS**

**SHRINK WRAP CONTAINMENT**

**VOLUME 2**

**EAGLE  
INDUSTRIES**  
JOBSITE PRODUCTS

5531 River Road, New Orleans, LA 70123  
1.800.266.8246 [www.eagleind.com](http://www.eagleind.com)